

Schlumberger P&J

Family of
climbing
holds 2017



GABRIELE **MORONI** // UNDERGROUND 9A

PHOTO BY LUCA FONDA







TABLE OF CONTENTS

BLEAUSTONE	
HUECO TANKS	8
FONTAINEBLEAU	15
LIMESTONE	25
GRITSTONE	30
GRANITE	36
CLASSIC	42
TRAINING RANGE	46
VARIETY OF GRIP OPTIONS	50
CAPTAIN CRUX	
100 TRADITIONAL	54
300 GRANITE	58
500 SANDSTONE	64
700 SERIES	67
CRUXIES	68
ACCESSORIES	69
23 HOLDS	
MINI VOLUMES	72
LAPIS	
CRIMPS	80
EDGES	81
INCUT EDGES	85
OPEN HANDED MINI GOODYS	87
OPEN HANDED GOODIES	87
OPEN HANDED MACRO GOODYS	88
MINI GOODYS	89
GOODYS	90
MACRO GOODYS	91
SCREW-ONS	93
FOOTHOLDS	94
PINCHES	95
POCKETS	97
SLOPERS	98
BALLS	100
TRAINING ACCESSORIES	101
BOULDERING SET	102
VOLUMES	103
ACCESSORIES	105
SQADRA	
PURE	108
FICHTL	113
AXIS	
CARE & MAINTENANCE	120
COLOURS	121





KEVIN **JORGESON** // HUECO TANKS
PHOTO BY ANDY MANN



BleauStone[®]

Est. Sheffield, UK

BLEAUSTONE HUECO TANKS

HUECO CRIMPS



- STRUCTURE:** 20 M
DEPTH OF THE BOLT HOLE (mm): 14,15X3,16X2,17X5,18X5,19X2,20X2
KEY FEATURES:
- The most advanced crimps in the series, offering huge variety of grip option and challenging features
 - Perfect for all routes, but great for more challenging routes
 - Compliment other sets in the range
 - Varied positivity per finger depending on what hand is used
 - Extra screw holes for more positioning options

HUECO INCUT MINI EDGES



- STRUCTURE:** 10 M
DEPTH OF THE BOLT HOLE (mm): 14,17,18,19X322X2,23X2
KEY FEATURES:
- 10 holds in a set
 - Size-wise can accept one full hand and part of the other
 - Multi-functional; can be used from all sides varying difficulty
 - Positive on roofs, ideal for steep routes - like those found in Hueco
 - Great for easy routes on less steep ground
 - 2 extra screw holes for more positioning options

HUECO MINI EDGES



STRUCTURE: 10 M

DEPTH OF THE BOLT HOLE (mm): 19, 21, 22, 24, 24, 24, 25, 26, 27, 31

KEY FEATURES:

- 10 holds in a set
- Size-wise can accept one full hand and part of the other
- Multi-functional, can be used from all sides.
- Positive up to 45degree wall angles
- Ideal for all grades of routes
- 2 extra screw holes for more positioning options

HUECO EDGES



STRUCTURE: 10 L

DEPTH OF THE BOLT HOLE (mm): 37, 38, 39, 39 40

KEY FEATURES:

- 10 holds in a set
- Size-wise can accept two full hands, with some option of alternate positions
- Multi-functional; can be used from all sides -varying difficulty
- 5/10 ideal for steep routes and some are more technical
- Perfect for easy routes on less steep ground
- 2 extra screw holes for more positioning options

HUECO MONDO EDGES



STRUCTURE: 5 XXXL

DEPTH OF THE BOLT HOLE (mm): 36,37,37,38,39

KEY FEATURES:

- 5 holds in a set
- Size-wise can accept two full hands with options for repositioning either hand
- Multi-functional; can be used from all sides to vary difficulty/positivity
- 2/5 Positive on roofs, the others are great for interesting challenging routes
- Good for easy technical routes on less steep ground
- 3 extra screw holes for more positioning options

HUECO MINI JUGS



STRUCTURE: 10 M

DEPTH OF THE BOLT HOLE (mm): 18, 20, 22, 22, 22 23, 23 24, 24, 27

KEY FEATURES:

- 10 holds in a set
- Size-wise the jug sits under the 3rd phalange of the fingers
- Positive on roofs up to 60 deg, ideal for easier routes
- Great for beginners progressing to intermediate grades
- 1 extra screw holes for anti-rotation

HUECO JUGS



STRUCTURE: 10 L

DEPTH OF THE BOLT HOLE (mm): 25, 26, 28, 28, 29, 30, 30, 30, 33, 35

KEY FEATURES:

- 10 holds in a set
- Size-wise the jug accepts full fingers
- Positive on roofs up to 90 deg, Perfect for easier routes
- Great for beginners, and intermediate climbers on steeper ground
- 1 extra screw holes for anti-rotation

HUECO FLAT JUGS



STRUCTURE: 10 L

DEPTH OF THE BOLT HOLE (mm): 24, 24, 24, 24, 27, 27, 28, 31, 33, 36

KEY FEATURES:

- 10 holds in a set
- Size-wise can accept one full hand and part of another.
- Positive on roofs up to 30 degrees
- Great for beginners progressing to intermediate grades
- Perfect clipping hold, zaps the last bit of energy from the climber!
- 1 extra screw holes for anti-rotation

HUECO FOOTHOLDS



STRUCTURE: 20FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 12,13,14X4,15X7,16,17X3,18X2,20

KEY FEATURES:

- Perfect addition to the range in helping create hueco-like routes
- Have features similar to those found on martini roof like the ear, so can be used as extremely technical hand holds
- Multifunctional; rotationally offer wide variety of positivity per hold
- Suitable for all wall angle and grade of route
- Countersunk bolts should be used with these holds

HUECO POCKETS



STRUCTURE: 10 L

DEPTH OF THE BOLT HOLE (mm): 29, 30, 31, 35, 37, 38, 42, 42, 44

KEY FEATURES:

- 10 holds in a set
- 2/3 finger pockets, some can accept both hands simultaneously
- Rotated about the bolt hole will open up multiple grip options
- Varied positivity and technicality
- Great for all grades of routes
- 2/3 extra screw holes for more positioning options

HUECO PINCHES



STRUCTURE: 10 XL

DEPTH OF THE BOLT HOLE (mm): 15, 16, 16, 18, 19, 19, 19, 20, 24, 28

KEY FEATURES:

- 10 holds in a set
- Size-wise can accept both hands simultaneously
- Full-hand or finger-tip pinches included
- Rotated about the bolt hole will open up multiple grip options
- Varied positivity and technicality
- Great for all grades of routes
- 2/3 extra screw holes for more positioning options

HUECO XXXL



STRUCTURE: 4 XXXL

DEPTH OF THE BOLT HOLE (mm): 45, 60, 62

KEY FEATURES:

- 4 holds in a set
- Inspired by East mountain's moonshine roof area
- Great for any creative route setter
- Perfect 'glory route' holds
- Varied positivity and technicality
- Rotated about the bolt hole will open up multiple grip options
- Great for all grades of routes
- 3 screw holes for more positioning options

HUECO DOUBLE POCKET



STRUCTURE: 2

DEPTH OF THE BOLT HOLE (mm): 60, 70

KEY FEATURES:

- 2 holds in a set
- Inspired by pockets found on North mountain on Martini roof
- Perfect for any creative route setter wanting to create the perfect 'glory route'
- Super positive with multiple grip options
- Great for all grades of routes
- 3 screw holes for more positioning options

HUECO LOBSTER CLAW



STRUCTURE: 1

KEY FEATURES:

- Inspired by the nature of the climbing on the lobster claw problem
- The result is a hold great for all types of route
- Perfect for creative route setting
- Multiple hold options, pinches, slopers, crimps, jugs
- Has a central bolt hole to aid positioning (MAX Torque 10Nm)
- Use screw holes for main fixation.

HUECO MOONSHINE ROOF

STRUCTURE: 1

KEY FEATURES:

- Inspired by a key hold on moonshine roof, from this hold you either continue on to 'moonshine left, or right'
- Has a unique positive flake, perfect for creative route setting
- Has a central bolt hole to aid positioning (MAX torque 10Nm)
- Use screw holes for main fixation



HUECO MONDO POCKETS

STRUCTURE: 5XXL

DEPTH OF THE BOLT HOLE (mm):

36,49,58,69,78

KEY FEATURES:

- Inspired by the pockets found in the North Mountain area of Hueco Tanks; Namely Martini Roof.
- Deep pockets for all grades of routes, over all angle of wall
- Super-positive with many grip options
- Features 'hidden positivity'; pocket offers a little extra the deeper you go
- Perfect for creating outstanding, and eye-catching problems
- each have 3 screw holes for more fixing options



HUECO THE FEATHER SET

STRUCTURE: 3FOOTHOLDS, 4 XL IN 3X MACRO

DEPTH OF THE BOLT HOLE (mm):

15x1, 20x2, 30x1, 45x1, 55x1, 70x1

KEY FEATURES:

KEY FEATURES:

This whole set comprises of the main features and holds found on "the Feather" V14 boulder problem found on West Mountain in Hueco Tanks.

It allows route setters to loosely recreate some of the moves, from the problem and also allows them recreate their very own Hueco-style boulder problem and to really create an "in the rock" sensation.

There are 10 holds in the set, including: 3 macros, 4 XL handholds, and 3 smaller holds for hands or feet.



HUECO FEATHER A. START

STRUCTURE: 1

KEY FEATURES:

- Inspired by the sit-start hold on "the feather"
- The macro features many grip options forcing the climber to "find" the best hand position
- Perfect centerpiece product, extremely versatile
- Varied edges on all side, using subtle changes in texture and by rotation.
- Ideal for all grades of problem and all levels to try
- Fixed with screws onto wooden walls



HUECO FETHER B KNEEBAR

STRUCTURE: 1

KEY FEATURES:

- Inspired by the knee-bar position hold on "the feather"
- The macro features a typical Hueco style scoop, allowing setters to recreate the feeling of being on or in the rock.
- Perfect centerpiece product, extremely versatile
- Varied edges and slopers on all side, using subtle changes in texture and by rotation.
- Ideal for all grades of problem and all levels
- Fixed with screws onto wooden walls



HUECO FEATHER C. EDGE

STRUCTURE: 1

KEY FEATURES:

- Inspired by the amazing feather-like texture of the aptly named Feather.
- Although the feather feature is not climbed on the actual V14 problem, here the feature has a usable yet challenging edge that allows setters to create great and inspiring boulder lines.
- A Perfect centerpiece product, extremely versatile and outstanding.
- Long leading edge varies forcing the climber to find the "best" parts to hold.
- Ideal for all grades of problem and all levels
- Fixed with screws onto wooden walls



HUECO THE FEATHER HOLD SET

STRUCTURE: 1S, 2M, 4XL

DEPTH OF THE BOLT HOLE (mm):

15x1, 20x2, 30x1, 45x1, 55x1, 70x1

KEY FEATURES:

- Inspired by the Feather boulder problem and are the intermediate holds and footholds between the 3 Macros in the Feather set.
- If you study the picture of the problem carefully you will see where each hold stands out and is used in the actual problem.
- Each hold has a unique edge or pocket-type grip option that adds character to each route you set them with.
- The smaller holds are great for intermediate foot or handholds, allowing you to make the problem easier, or to force a climber into a particular more challenging position.
- Fixed with Bolts and screws onto wooden or other types of wall



BLEAUSTONE FONTAINEBLEAU



FONTAINEBLEAU **CRIMPS**



STRUCTURE: 20S/M

DEPTH OF THE BOLT HOLE (mm): 10X22,10X23

KEY FEATURES:

- 2nd generation designed for the professional route setter with longevity in mind
- With the advent of the more technical crimps in the range these crimps offer more positivity
- Ideal for all wall angles (<60 degrees) and grade of route
- Feature an extra screw hole for secure fixation.
- Designed stronger for a long service life

FONTAINEBLEAU **MINI FOOTHOLDS**




STRUCTURE: 20S

DEPTH OF THE BOLT HOLE (mm): 15-25

KEY FEATURES:

- Designed to be the route-setter
- Are design XS/S size and are slightly more technical than the standard footholds
- Can be used on all grade of route and wall angle
- Improve intermediate and beginner
- Multifunctional; the smallest rotation of a hold will yield a different feature and positivity for the foot
- Perfect to use in conjunction with other sets to get the most out of your handholds.

FONTAINEBLEAU **INCUT CRIMPS**



STRUCTURE: 10S

DEPTH OF THE BOLT HOLE (mm): 16,17,20,21X7

KEY FEATURES:

- Designed to compliment other sets, and broaden route setting possibilities
- Put easier and more intermediate routes on steeper wall angles upto 90 degrees overhanging!
- Ideal for all Grades of route and wall angle
- Extremely comfortable to hold in all positions.
- Extra screw hole for more secure fixation

FONTAINEBLEAU **MINI EDGES**



STRUCTURE: 2M, 8L

DEPTH OF THE BOLT HOLE (mm): 18,20,21,25,20,36X5

KEY FEATURES:

- Designed to be a two-handed hold with a small footprint
- Ideal for all Grades of Route and wall angles upto 60 degrees
- Rotating the hold will drastically change how a climber can use his/her thumb
- Perfect for all professional creative route setters
- Extra screw hole for more secure fixation

FONTAINEBLEAU **EDGES**




STRUCTURE: 2L, 8XL

DEPTH OF THE BOLT HOLE (mm): 34,37,40,7X45

KEY FEATURES:

- The iconic set of edges featuring all the stylized texture found in font
- Extremely versatile holds for all grade of route and wall angle
- Inspirational design, and a real joy to climb on
- Each hold features extra screw holes for greater setting possibilities

FONTAINEBLEAU **NANO JUGS**




STRUCTURE: 20S

DEPTH OF THE BOLT HOLE (mm): 9,12,16,17,18X16

KEY FEATURES:

- Smallest jug, smallest footprint with maximum positivity (2 finger joints)
- Positive on all wall angles.
- Help push beginner and intermediate climbers on to steeper wall angles and harder grades
- Feature small foot jib/crimp opposite the jug for added options for the climber e.g. when jug is used as an undercut

FONTAINEBLEAU **MINI JUGS**



STRUCTURE: 20S/M

DEPTH OF THE BOLT HOLE (mm): 21,22,23,24,16X31

KEY FEATURES:

- Route setters workhorse product – essential for every climbing gym
- Small positive jugs (2-3 Finger joints)
- Ideal for all wall angle, but a real challenge on really steep routes >60 degrees
- Perfect for all grades of route
- Extra screw hole for more secure fixation

FONTAINEBLEAU **SUPER JUGS**



STRUCTURE: 10 L

DEPTH OF THE BOLT HOLE (mm): 27,29X2,31X5,32X2,33

KEY FEATURES:

- Brand new design for 2015
- Even more positive on roofs or steep over hangs (60-90 degrees)
- great for easy routes designed to go over the steepest part of your wall
- Small footprint
- Ideal for Beginners on less steep walls or slabs
- Feature an extra screw hole for anti-rotation.

FONTAINEBLEAU **JUGS**



STRUCTURE: 20M

DEPTH OF THE BOLT HOLE (mm): 15,19,21,23,24,30,13X31

KEY FEATURES:

- Work horse product, essential for all climbing gyms
- More positive hold, with slightly larger footprint than the mini jug (3-4 finger joints)
- Ideal for all grade of route and all wall angles

FONTAINEBLEAU **FLAT JUGS**



STRUCTURE: 10L

DEPTH OF THE BOLT HOLE (mm): 27,28X2,29X2,30,31,32,35,36

KEY FEATURES:

- Concept designed to help push the level of the beginner and intermediate climber
- Bridging the gap between an edge and a Jug
- Design can limit how a climber moves between holds
- Positive on wall angles up to 15 degrees – beyond which intermediate and advanced climbers will be pleasantly challenged
- Extra screw hole for more secure fixation

FONTAINEBLEAU MONDO SPECIALS



STRUCTURE: 5XL

DEPTH OF THE BOLT HOLE (mm): 21,2X26,2X30

KEY FEATURES: We've travelled around the boulders in Fontainebleau, found the best problems with the best slopers on and tried to recreate that feeling. From El Poussah, Isatis, to Cortomaltèse, Bas Cuvier.

It is almost impossible to recreate a Fontainebleau sloper - you would need a hold the size of the boulder itself to get the perfect feeling of that slap where your whole arm is needed to just hold on!!

FONTAINEBLEAU MONDO JUGS



STRUCTURE: 2L,8XL

DEPTH OF THE BOLT HOLE (mm): 27,27,32,34,35,36X5

KEY FEATURES:

- The biggest jugs in the range, offer the greatest positivity of all the jugs
- Many features allowing for greater variety of creative route setting
- Ideal for all grade of route and wall angle
- Perfect for creating routes for beginners and intermediate on the steepest parts of the climbing gym

FONTAINEBLEAU FOOTHOLDS



STRUCTURE: 10FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 16,18,19X4,20X3,21

KEY FEATURES:

- Designed specifically to be the workhorse of a route-setter's collection
- Ideal for all grades of route on all angles.
- Multi-functional; the smallest rotation of a hold will yield a different feature for the foot.
- The most important holds to have on your wall, to get the most out of specific handholds in your assortment
- Invaluable addition to existing holds from the whole range.

FONTAINEBLEAU MONDO FOOTHOLDS



STRUCTURE: 10FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 25X2,26X2,28X2,29

KEY FEATURES:

- This set of holds is the climbing gym's archetypal workhorse.
- Perfect for all types of routes, wall, and setting.
- Each hold is both positive and slopy depending how it is oriented to the climber
- The bolthole depth has been maximised so the hold is as strong as possible to give you the maximum service life.
- Can be used with impact drivers and both types of fixing.

FONTAINEBLEAU **MONDO INCUT EDGES NEW** FONTAINEBLEAU **MONDO POCKETS**



STRUCTURE: 5 XXL

DEPTH OF THE BOLT HOLE (mm): 30X1, 35X2, 40X1, 45X1

KEY FEATURES:

- 5 large incut edges designed to be used as side-pulls and underclings
- Inspired by the whole feel of climbing in Fontainebleau where there are many side-pulls and underclings as start, and intermediate holds
- Subtle font-like features and lines mimic the feel of the crystalline rock found
- Vary in depth so the thumb position varies from a narrow to a wider open position.
- Ideal for all level of route, and will be very eye-catching



STRUCTURE: 2 XXL

DEPTH OF THE BOLT HOLE (mm): 65X1, 85X1

KEY FEATURES:

- This large pocket will be a great eye-catching feature for any boulder or route wall
- Compliments other sets in the range to create the perfect route
- Ideal for all levels/grade, the pocket's positivity varies depending on how it is positioned on the wall, and at what angle.
- Can be affixed with screws or bolts and screws

FONTAINEBLEAU **MONDO SLOPERS NEW**



STRUCTURE: 5 XXL

DEPTH OF THE BOLT HOLE (mm): 45X2, 50X1, 55X1

KEY FEATURES:

- Inspired by the whole feel of climbing in Fontainebleau where holding holds requires full-body tension
- 5 large low-profile slopers mimic hand-profiles found on real slopers
- Subtle font-like features and lines mimic the feel of the rock
- Require the climber to find the perfect hand-position
- Ideal for challenging routes, and the upper grades

FONTAINEBLEAU **MONDO SPECIALS**



STRUCTURE: 5 XL

DEPTH OF THE BOLT HOLE (mm): 30X2, 35X3

KEY FEATURES:

- 5 low-profiled holds with extremely technical grip options
- Great for eye catching routes
- Designed for more challenging grades, but can be used on slabs to create perfect font-like climbs
- Inspired by the plate-like features and glassy textures found in Fontainebleau
- Can be affixed with screws or Bolts

FONTAINEBLEAU PINCHES 2015



STRUCTURE: 10 XL

DEPTH OF THE BOLT HOLE (mm): 35X1, 40X3, 50X2, 55X1, 65X2, 70X1

KEY FEATURES:

- Good variety of pinches in this set varying in width and positivity
- Ideal for all grades and wall angles, up to the limit of the climber!
- Contains some technically challenging pinches for more technical problems
- Perfect addition to other sets great for creative route setting
- Now can be affixed with Screws and bolts

FONTAINEBLEAU SPECIALS 2016



STRUCTURE: 2S, 3M, 5L

DEPTH OF THE BOLT HOLE (mm): 25X6, 30X1, 35X2, 40X1

KEY FEATURES:

- Inspired by the small delicate features found on many problems in Font.
- Designed specifically for competitions or technical problems
- Perfect for intermediate or hard graded problems
- Use them as technical foot holds or intermediate holds
- Feature a special two-hold combo to fit on an arête
- These screw-on holds are for wooden walls only



FONTAINEBLEAU **SCREW-ONS**



STRUCTURE: 20S

DEPTH OF THE BOLT HOLE (mm): 5,6,7,8,10X11

KEY FEATURES:

- Ideal for delicate/precise foot work
- Help improve balanced climbing technique
- For use on wood panels or wooden volumes -or whatever you can screw into!

FONTAINEBLEAU **POCKETS NEW**



STRUCTURE: 18L, 2XL

DEPTH OF THE BOLT HOLE (mm): 15X1, 20X1, 25X1, 30X2, 45X15

KEY FEATURES:

- Inspired by many holds found in font, like from La Marie-Rose.
- A variety of 2 to 3 finger pockets for intermediate climbers
- Can be used on more technically demanding problems depending on the angle of the wall and rotation
- Compliments other sets in the range to create the perfect route
- Set includes mostly positive grip options for 2 or 3 fingers
- Now can be affixed with screws and bolts

FONTAINEBLEAU **SLOPERS**



STRUCTURE: 2L, 8XL

DEPTH OF THE BOLT HOLE (mm): 45,60,65,69,76,79,81,86X3

KEY FEATURES: We've travelled around the boulders in Fontainebleau, found the best problems with the best slopers on and tried to recreate that feeling. From El Poussah, Isatis, to Cortomaltèse, Bas Cuvier.

It is almost impossible to recreate a Fontainebleau sloper -you would need a hold the size of the boulder itself to get the perfect feeling of that slap where your whole arm is needed to just hold on!!

FONTAINEBLEAU **CIRCUIT SET**



STRUCTURE: 3S, 7M, 4L, 5XL

DEPTH OF THE BOLT HOLE (mm): 15,18,22,26,34,36,2X43,45,66,73

KEY FEATURES: The Fontainebleau Circuit set was initially design for a competition staged in Koln, Germany. The set contains a wide variety of holds from crimps to jugs and has been designed for setting numerous indoor circuit problems - like those found in the Fontainebleau forest. The carving style of the holds also explore other textures and styles found in these areas.

FONTAINEBLEAU MONDO POCKETS

STRUCTURE: 2XXL

DEPTH OF THE BOLT HOLE: 65X1, 85X1

KEY FEATURES:

- This large pocket will be a great eye-catching feature for any boulder or route wall
- Compliments other sets in the range to create the perfect route
- Ideal for all levels/grade, the pocket's positivity varies depending on how it is positioned on the wall, and at what angle.
- Can be affixed with screws or bolts and screws



LA BALANCE

KEY FEATURES:

- Summing up the philosophy of climbing in Fontainebleau – balance
- Varied sloper, using subtle changes in texture to challenge and aid the climber
- Can be a pinch, crimp or sloper, depending on how and where it is positioned
- Ideal for all wall angles up to 60 degrees for all levels of climber
- Fixed to the wall with screws only



LA COQUILLE

KEY FEATURES:

- Inspired by the finishing edge on "Surplomb de la Coquille"
- Great attention to detail in recreating the incut edge
- Perfect centerpiece product, extremely versatile
- An Incut edge runs along its side, great as a side pull or under cut.
- Create the problem in your gym by fixing to a 0-45 degree wall
- Ideal for all grades of problem and all levels
- Fixed with screws onto wooden walls



LA GRATONNADE

KEY FEATURES:

- Inspired by and named after a typical slab like problem found in Isatis.
- Great attention to detail mimicking the rock and the type grip used to keep yourself attached to the rock
- Perfect centerpiece product, extremely versatile
- Varied edges on all side, with a finger crack.
- Create the problem in your gym by fixing to a 0-15 degree wall
- Ideal for all grades of problem and all levels
- Fixed with screws onto wooden walls



LA PATINOIRE

KEY FEATURES:

- Inspired by the quartz-like surface textures found in font, formed as an edge in this case
- Multi-varied grip options available depending on how its positioned
- Ideal for all wall angles for any level of climber
- Fixed to the wall with screws only



LE PINCEMONT

KEY FEATURES:

- Fontainebleau texture inspired wide pinch
- Requires finesse coupled with strength to hold and move off of
- Ideal for more technical routes, on most wall angles upto 45 degrees
- Multi-varied grip options depending on how it is positioned
- Fixed to the wall with screws only



LE CEOUR

KEY FEATURES:

- Inspired by the hold on the infamous heart-shaped hold on the aptly named problem
- Made slightly more positive to appeal to a wider audience of climber
- Perfect on wall angles upto 45 or even 60 degrees, but really depends on climber ability and strength
- Fixed to the wall with screws only



EL POUSSIF

KEY FEATURES:

- Another classic problem inspires this mini volume
- Help create other technical odysseys with this technical open-handed pinch
- Great for all wall angles depending on the ability of the climber
- Fixed to the wall with screws only



EXCALIBOUR

KEY FEATURES:

- The name inspired by another classic problem in font
- Principle sloper, using the texture as differing grip options around the mini volume
- Ideal for more challenging problems requiring finesse and balance
- Fixed to the wall with screws only



LA STATIQUE

KEY FEATURES:

- Another problem-inspired mini volume – the pinch found at the tip of the overhang
- Stylized into a mini volume-sized climbing hold with a wide variety of grip option
- Ideal for all grade of route and level of climber
- Fixed to the wall with screws only



CORTOMALTESE

KEY FEATURES:

- Inspired by infamous problem in Bas Cuvier (font 7a)
- Great attention to detail mimicking the actual problem
- Perfect centerpiece product, extremely versatile
- Varied slopers on all side, using subtle changes in texture
- Create the problem in your gym by fixing to a 0-15 degree wall
- Ideal for all grades of problem and all levels to try
- Fixed with screws onto wooden walls



LA GRATONNADE

KEY FEATURES:

- Inspired by and named after a typical slab like problem found in Isatis.
- Great attention to detail mimicking the rock and the type grip used to keep yourself attached to the rock
- Perfect centerpiece product, extremely versatile
- Varied edges on all side, with a finger crack.
- Create the problem in your gym by fixing to a 0-15 degree wall
- Ideal for all grades of problem and all levels
- Fixed with screws onto wooden walls



LA COQUILLE

KEY FEATURES:

- Inspired by the finishing edge on "Surplomb de la Coquille"
- Great attention to detail in recreating the incut edge
- Perfect centerpiece product, extremely versatile
- An Incut edge runs along its side, great as a side pull or under cut.
- Create the problem in your gym by fixing to a 0-45 degree wall
- Ideal for all grades of problem and all levels
- Fixed with screws onto wooden walls





BLEAUSTONE LIMESTONE™

LIMESTONE™ MINI CRIMPS



STRUCTURE: 10S

DEPTH OF THE BOLT HOLE (mm): 18,19,20,21,23X5

KEY FEATURES:

- Small footprint crimps
- Majority positive with a few technically natured
- Allow for more creative route setting for intermediate and advanced grades
- Extra screw holes for more positioning options on wooden walls

LIMESTONE™ CRIMPS



STRUCTURE: 20 S/M

DEPTH OF THE BOLT HOLE (mm): 11,13,14,19,20X16

KEY FEATURES:

- The cornerstone set of any aspiring commercial gym
- Generally all positive crimps
- Great for pushing beginners and intermediate climbers to the next level
- Suitable for all wall angle and all grades
- Extra screw holes for more positioning options on wooden walls

LIMESTONE™ INCUT CRIMPS



STRUCTURE: 10 S/M

DEPTH OF THE BOLT HOLE (mm): 11,13,14,17X7

KEY FEATURES:

- The crimps for the steepest parts of your wall
- Positive on fully overhanging walls (one to 1½ fingertip length incut)
- Suitable for all grades of route, comfortable even on vertical walls
- Ideal for pushing the grades of all climbers
- Extra screw holes for more positioning options on wooden walls

LIMESTONE™ MINI EDGES



STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 14,15,19,20,22,30X5

KEY FEATURES:

- The most common type of hold found on limestone – the edge
- Feature all the styles of rock studied
- Two-handed with limited movement, helps develop finger strength when trying to match
- Generally more positive than other mini edges in the range
- Ideal for all grade of route, thus all level of climber
- Extra screw holes for more positioning options on wooden walls

LIMESTONE™ EDGES



STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 24,25,30, 33,40,46X5

KEY FEATURES:

- The largest edges in the range, that can be easily held with two hands
- Generally more positive than other edges in the series
- Perfect for pushing beginner and intermediate climbers to the next level while still preserving some requirement of technical climbing
- Small orientation of each hold will yield a slightly different feel and grip option
- Extra screw holes for more positioning options on wooden walls

LIMESTONE™ NANO JUGS



STRUCTURE: 20S

DEPTH OF THE BOLT HOLE (mm): 17,18,19,20,25,26X15

KEY FEATURES:

- Smallest jug, smallest footprint with maximum positivity (2 finger joints)
- Positive on all wall angles.
- Help push beginner and intermediate climbers on to steeper wall angles and harder grades
- Feature small foot jib/crimp opposite the jug for added options for the climber e.g. when jug is used as an undercut

LIMESTONE™ MINI JUGS



STRUCTURE: 20M

DEPTH OF THE BOLT HOLE (mm): 14,16,18,20,24X16

KEY FEATURES:

- Route setters workhorse product – essential for every climbing gym
- Small footprint, positive jugs (2-3 Finger joints)
- Ideal for all wall angle, but a real challenge on really steep routes >60 degrees
- Perfect for all grades of route

LIMESTONE™ SUPER JUGS



STRUCTURE: 10L

DEPTH OF THE BOLT HOLE (mm): 20,22,24,26,32X6

KEY FEATURES:

- Extremely positive on roofs or steep overhangs (60-90 degrees)
- Great for easy routes that move onto the steepest parts of your gym
- Perfect for beginners on less steep wall angles
- Also feature small foot jib or crimp opposite the jug, for more versatility when setting
- Feature an extra screw hole for more secure fixation

LIMESTONE™ JUGS



STRUCTURE: 20M

DEPTH OF THE BOLT HOLE (mm): 19,24,26,27,35,36X15

KEY FEATURES:

- Limestone-Inspired, varied set of positive and ergonomic jugs
- Work horse product, essential for all climbing gyms
- More positive hold, with slightly larger footprint than the mini jug (3-4 finger joints)
- Ideal for all grade of route and all wall angles
- Extra screw hole for more secure fixation

LIMESTONE™ MONDO JUGS



STRUCTURE: 10XXL

DEPTH OF THE BOLT HOLE (mm): 10,28,34,36X7

KEY FEATURES:

- The biggest jugs in the range, offer the greatest positivity of all the jugs
- Many features allowing for greater variety of creative route setting
- Ideal for all grade of route and wall angle
- Perfect for creating routes for beginners and intermediate on the steepest parts of the climbing gym
- Extra screw hole for more secure fixation

LIMESTONE™ FOOTHOLDS



STRUCTURE: 10FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 15,17,18,19,20,21X5

KEY FEATURES: This Set of 20 Footholds has been designed with longevity and strength in mind. They are perfect to set all grades of routes on all wall-angles.

LIMESTONE™ TUFA SCREW-ON



STRUCTURE: 5XS, 5S

DEPTH OF THE BOLT HOLE (mm): 5,8,9,10,12,14X6

KEY FEATURES: Tufas are the lines you see on many limestone cliffs, formed from thousands of years of water-deposited minerals. This set mimics the smaller lines and ribs you see. Great as technical crimps, pinches, long extended footholds and edges.

LIMESTONE™ SCREW-ONS



STRUCTURE: 30XS

DEPTH OF THE BOLT HOLE (mm): 3,4,5,6,16X26

KEY FEATURES: This set of 30 screw-ons allows for more setting options when used along side other sets within the range. They can be used as technical handholds, or as technical footholds.

LIMESTONE™ PINCHES



STRUCTURE: 10L

DEPTH OF THE BOLT HOLE (mm): 21,22,25,33,41X6

KEY FEATURES:

- Inspired by countless pinches found on limestone, particularly tufa formations
- The most positive pinches in the range
- Ideal for helping develop pinch strength on all wall angles for all level of climber
- With varied pinch width and positivity give the route setter many options
- Extra screw holes for more positioning options

LIMESTONE™ POCKETS

STRUCTURE: 10L


DEPTH OF THE BOLT HOLE (mm): 19,27,31,33,35,39,46X4

KEY FEATURES:

- Inspired by the pockets found aside tufa formations, usually hidden!
- Generally 2-3 finger positive pockets
- Great for developing pocket strength on all angle of wall for all level of climber
- Extremely ergonomic – comfortable to climb on
- Extra screw holes for more positioning options on wooden walls



LIMESTONE™ TUFA



STRUCTURE: 2

DEPTH OF THE BOLT HOLE (mm): 40, 91

KEY FEATURES:

- Long (circa. 66cm) Positive jug-like tufa and Pinch-like tufa
- Can be positioned side by side to for an intricate crack or end to end
- Great for all grade of route and level of climber
- Ideal for creating eye-catching centerpiece routes in your gym
- Each has 1 bolt hole and 4 screw holes

LIMESTONE™ MONDO TUFA



STRUCTURE: 1

KEY FEATURES:

- Long (circa. 66cm) Positive jug-like tufa and Pinch-like tufa
- Can be positioned side by side to for an intricate crack or end to end
- Great for all grade of route and level of climber
- Ideal for creating eye-catching centerpiece routes in your gym
- Each has 1 bolt hole and 4 screw holes

LIMESTONE™ XXL TUFA JUGS – 2017 NEW



STRUCTURE: 6XXXL

DEPTH OF THE BOLT HOLE (mm): 55X1, 65X1, 70X1, 75X2

KEY FEATURES:

- 6 Long juggy tufas, ideal for steep overhangs
- Yin-Yang joining system makes it more aesthetic when connecting them in series.
- Great for all grade of route and level of climber
- Ideal for creating eye-catching centerpiece routes in your gym
- Each has 1 bolt hole and 4 screw holes

LIMESTONE™ XXL TUFA PINCHES – 2017 NEW



STRUCTURE: 6XXXL

DEPTH OF THE BOLT HOLE (mm): 45X1, 75X2, 80X2, 85X1

KEY FEATURES:


- 6 Long Pinch-like tufas varying in width and with subtle positivity
- Yin-Yang joining system makes it more aesthetic when connecting them in series, and can also be positioned side by side for an intricate crack system.
- Great for all grade of route and level of climber
- Ideal for creating eye-catching centerpiece routes in your gym
- Each has 1 bolt hole and 4 screw holes

BLEAUSTONE GRITSTONE

GRITSTONE ARETE PINCH

BLEAUSTONE GRITSTONE

GRITSTONE CRIMPS



STRUCTURE: 5S, 15M

DEPTH OF THE BOLT HOLE (mm): 15,19,20,21,22,23,24,28X13

KEY FEATURES:

- Inspired by the most famous areas and routes, like those found on Stanage, Burbage, and Higgar Tor
- They offer wide variety of positive grip options, with some fairly technical variety too
- Can be found on all wall angles, and feature in all grades of route
- Will be positive on wall angles upto 45 degrees

GRITSTONE EDGES



STRUCTURE: 2L, 8XL

DEPTH OF THE BOLT HOLE (mm): 32,34,36,40,41,45X2,48, 51X2

KEY FEATURES:

- The staple Gritstone-textured set, a must have for any aspiring gym wanting to inspire climbing on the highest level
- Inspired by many problems found on grit such as the green traverse and holds on the trackside boulder.
- Offer a huge variety ideal for all types of grade and route
- Feature pebbles as part of the texture and hold in some cases

GRITSTONE MINI EDGES



STRUCTURE: 10M

DEPTH OF THE BOLT HOLE (mm): 26,35,36X2,37X3,39,41X2

KEY FEATURES:

- Excellent challenging set of mini edges
- Many grip options, and varies depending how each hold is positioned and rotated
- Can be held with two hands, but will require some effort in some cases
- Ideal for all wall angles and all level of climber
- Extra screw holes for more positioning options

GRITSTONE MINI JUGS



STRUCTURE: 10S

DEPTH OF THE BOLT HOLE (mm): 25,26,29,32,33X6

KEY FEATURES:

- Route setters workhorse product – essential for every climbing gym
- Small positive jugs (2-3 Finger joints)
- Ideal for all wall angle, but a real challenge on really steep routes >60 degrees
- Perfect for all grades of route

GRITSTONE JUGS



STRUCTURE: 20M

DEPTH OF THE BOLT HOLE (mm): 17, 22,24,25,26,28,31,32,37X11

KEY FEATURES:

- Gritstone-Inspired, extremely varied set of jugs
- Work horse product, essential for all climbing gyms
- More positive hold, with slightly larger footprint than the mini jug (3-4 finger joints)
- Ideal for all grade of route and all wall angles

GRITSTONE FLAT JUGS



STRUCTURE: 3L/7XL

DEPTH OF THE BOLT HOLE (mm): 30, 34X2, 36X7

KEY FEATURES:

- Concept designed to help push the level of the beginner and intermediate climber
- Bridging the gap between an edge and a Jug
- Design can limit how a climber moves between holds
- Positive on wall angles up to 15 degrees – beyond which intermediate and advanced climbers will be pleasantly challenged
- More rounded feel compared to their Fontainebleau sister
- With extra screw hole for more secure fixation

GRITSTONE MONDO JUGS




STRUCTURE: 2L 8XL

DEPTH OF THE BOLT HOLE (mm): 36,38,39,40, 44X2, 45X2, 46X2

KEY FEATURES:

- Many features allowing for greater variety of creative route setting
- Ideal for all grade of route and wall angle
- Perfect for creating routes for beginners and intermediate on the steepest parts of the climbing gym

GRITSTONE FOOTHOLDS




STRUCTURE: 10FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 15,17,18,19X7

KEY FEATURES:

- Designed to compliment other sets in the range to get the most out of the hand holds
- An important workhorse set, designed to stand the test of time
- Feature unique gritstone range texture along with small pebbles to help recreate that grit route
- Ideal for all grades and all wall angle

GRITSTONE SPECIALS




STRUCTURE: 2S, 8M

DEPTH OF THE BOLT HOLE (mm): 9,17,19,20,21,23,30,31,34X2

KEY FEATURES:

- Inspired by unique features found in areas such as Curbar and burbage and turned into climbing holds for more technically challenging routes with those special features
- Ideal for all grades of route, but will not be positive on steeper wall angles
- Can be positioned anywhere on a plywood wall with the addition of the extra screw holes
- Some holds feature pebbles which have been designed to be climbed on and give that real feeling of climbing on grit

GRITSTONE PINCHES




STRUCTURE: 2M, 8L

DEPTH OF THE BOLT HOLE (mm): 33, 43,46X2, 55,58,67X4

KEY FEATURES:

- Inspired by problems such as the Keel (Yorkshire grit) Remergance (burbage eastt) and places such as Burbage west where pinches are quite a prominent feature of the problems
- Feature small, ergonomic pebbles to recreate that feeling of being on grit
- Ideal for all types of route, and wall angle – depending on the limits you want to push.

GRITSTONE POCKETS




STRUCTURE: 5M, 5L

DEPTH OF THE BOLT HOLE (mm): 14,26,28,29,42,46,47X4

KEY FEATURES:

- Inspired by Banana finger, The terrace, Poc man and Ben's wall.
- Perfect for recreating grit like problems where pockets commonly feature
- Wide variety of positivity and technicality – positive on wall angles <60 degrees

GRITSTONE MINI SLOPERS



STRUCTURE: 2M, 8L

DEPTH OF THE BOLT HOLE (mm): 25,29,30,31X2,32

KEY FEATURES:

- Designed with a certain style of climbing in mind; balance and technique.
- Gritstone texture fully employed on the climbing hold surface.
- Grip options will subtly vary depending on the rotation
- Great for affixing to features or other volumes
- Ideal for more challenging routes that require balance and technique and good use of friction

GRITSTONE SLOPERS



STRUCTURE: 2L, 8XL

DEPTH OF THE BOLT HOLE (mm): 40,45,47,59,68,69,71,73,82,89

KEY FEATURES:

- Inspired by the whole feel of climbing on gritstone
- Largest slopers in the whole series
- Feature two low-profile slopers ideal for open-handed sloper strength
- Subtle gritstone features and pebbles mimic the feel of the rock
- Ideal for challenging routes, and the upper grades

GRITSTONE XXXL



STRUCTURE: 4XXXL

DEPTH OF THE BOLT HOLE (mm): 55,61,62,63

KEY FEATURES:

- Inspired by the rock and Boulder problems found at Stanage plantation and Burbage East.
- Brad pit heel hook, and The Terrace right-hand crimp are two examples featured
- Perfect for immediate-eye-catching routes, or glory routes, to grab climber's attention
- Feature 3 screw holes for more positioning options plus a central bolt hole

GRITSTONE MONDO SPECIALS



STRUCTURE: 5XL

DEPTH OF THE BOLT HOLE (mm): 21,2X26,2X30

KEY FEATURES:

- New concept for 2015
- Perfect to affix to larger wooden volumes
- Can be used for any grade for route, but are designed to be extremely challenging
- Inspired by some of the hardest and most typical types of holds found on grit, such as pebbles, and small tricky pockets
- Extra screw holes for more positioning options on wooden walls

GRITSTONE ARETE PINCH



STRUCTURE: 1

KEY FEATURES:

- Inspired by problems that require pinch strength on arêtes
- Feature small open-handed crimp like featured as well as a multitude of pinch style
- Features small pebbles that aid the climbers grip
- Fixed with screws only; all fixation points should be used
- Do not use impact drivers to affix mini volumes

GRITSTONE EDGE



STRUCTURE: 1

KEY FEATURES:

- Inspired by the sedimentary layers found on gritstone where there can be many grip options available
- Nice rounded edges make climbing free-flowing and enjoyable on this mini volume
- Multifunctional product with a wide variety of grip option
- Fixed with screws only; all fixation points should be used.
- Do not use impact drivers to affix mini volumes

GRITSTONE LEDGE




STRUCTURE: 1

KEY FEATURES:

- Inspired by many ledges you find in the Peak district, where you might be placing gear, or just having a rest.
- Features a hidden crimp, along with the typical rounded slopers found on the grit
- Many grip options depending on how the product is rotated
- Fixed with screws only; all fixation points should be used.
- Do not use impact drivers to affix mini volumes

GRITSTONE **THE NOSE**




STRUCTURE: 1

KEY FEATURES:

- Hand-carved Gritstone Volume inspired by many problems found in the Peak District
- True-to-Life Pebble clusters aiding climbing when rotated in certain positions
- Has many grip options including wide, open-handed pinches, slopers, crimps and small edges
- Should be fixed with screws, all fixation points should be used

GRITSTONE **ARETE**



STRUCTURE:

KEY FEATURES:

- Inspired by countless arêtes found in the Peak District
- Helps develop Open-handed and sloper strength
- Ideal for walls between 5 and 15 degrees over hanging
- Pebbles feature aiding the climber
- Fixed with screws only, all fixation points should be used
- Do not use impact drivers to affix the screws



BLEAUSTONE GRANITE

GRANITE CRIMPS



STRUCTURE: 20 S

DEPTH OF THE BOLT HOLE (mm):

15X2,16X2,17X4,19,20X2,21,23,24,26,27,28,28,28,28

KEY FEATURES:

- Edge-like crimps, with subtle features that can aid the climber up the wall
- Small footprint holds with varied in positivity
- Ideal for all wall angles and level of climber
- Extra screw holes for more positioning options

GRANITE MINI EDGES



STRUCTURE: 10 L

DEPTH OF THE BOLT HOLE (mm): 29,29,30,31,32,36,43,43, 44,44

KEY FEATURES:

- Excellent challenging set of mini edges
- Many grip options, and varies depending how each hold is positioned and rotated
- Can be held with two hands, but will require some effort in some cases
- Ideal for all wall angles and all level of climber
- Extra screw holes for more positioning options

GRANITE EDGES



STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 32,42,42,46,49X6

KEY FEATURES:

- Great use of the granite style texture make up these extremely versatile set of edges
- More technical in nature than the positive edges
- Ideal for more challenging routes for any level of climber
- Multitude of grip options per hold
- Extra screw holes allow for more positioning options

GRANITE POSITIVE EDGES NEW



STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 40,42,43,48,51X6

KEY FEATURES:

- The more positive of the two sets of edges found in the Granite range
- Extremely varied grip options across the set
- Ideal for Steeper walls but still for any level of climber
- Extra screw holes allow for more positioning options

GRANITE MINI SLOPERS



STRUCTURE: 10M

DEPTH OF THE BOLT HOLE (mm): 26,27,30,31,32,34,35,35,36,37

KEY FEATURES:

- Granite inspired small footprint slopers
- Ideal for training open-handed strength
- Perfect for more challenging routes for any level of climber
- Finding the most positive part of each hold will require some effort from the climber
- Extra screw holes for more positioning options

GRANITE SLOPERS



STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 37,41,42,42X6

KEY FEATURES:

- Edges that are basically the most rounded of all of the sets with in the range
- Offering a multitude of grip option and subtle variation preserving the feeling of climbing on real rock
- Ideal for more challenging routes for any level of climber
- Extra screw holes for more positioning options

GRANITE SCREW-ONS




STRUCTURE: 10XS

DEPTH OF THE BOLT HOLE (mm): 11,11,12,13,21,21,21,21,21

KEY FEATURES:

- Granite texture inspired screw ons
- Mimicking closely they type of edge-like features found on Granite
- A workhorse set, a must for any route setter
- Multitude of grip options for the foot, or hand, depending on the route setter's goal
- Ideal for all wall angles and level of climber
- Fixed only with screws

GRANITE MONDO SPECIALS



STRUCTURE: 2XL

DEPTH OF THE BOLT HOLE (mm): 28X2

KEY FEATURES:

- 2x Granite inspired large-footprint shallow-depth edges
- Ideal for extremely technical routes requiring excellent finger strength and control
- Perfect for more challenging routes for any level of climber
- Extra screw holes for more positioning options



GRANITE FOOTHOLDS



- STRUCTURE:** 15
DEPTH OF THE BOLT HOLE (mm): 13,15X3,16X2,17X2,19X3,20X2,21,22
KEY FEATURES:
- Designed to be the route-setter's workhorse with longevity in mind
 - Can be used on all grade of route and wall angle
 - Multifunctional; Rotation of a hold will yield a different feature and positivity for the foot
 - Perfect to use in conjunction with other sets to get the most out of your handholds.

GRANITE INCUT CRIMPS



- STRUCTURE:** 10S
DEPTH OF THE BOLT HOLE (mm): 13X3,14X2,15,16,17X2,19
KEY FEATURES:
- The crimps for the steepest parts of your wall
 - Positive on fully overhanging walls (one to 1½ fingertip length incut)
 - Suitable for all grades of route, comfortable even on vertical walls
 - Ideal for pushing the grades of all climbers
 - Extra screw holes for more positioning options on wooden walls

GRANITE PINCHES



- STRUCTURE:** 1M, 2L, 2XL
DEPTH OF THE BOLT HOLE (mm): 55,59X2,62,72
KEY FEATURES:
- Great varied selection of pinch with subtle edges that the climbers needs to find in order to yield the most out
 - Vary in width, and length so some can be used dual-handed
 - Ideal for helping develop pinch strength on all wall angles for all level of climber
 - Extra screw holes for more positioning options

GRANITE SPECIALS



- STRUCTURE:** 5M
DEPTH OF THE BOLT HOLE (mm): 14,16X3,22

GRANITE MONDO PINCHES



STRUCTURE: 6XL

DEPTH OF THE BOLT HOLE (mm): 65,68,78,85,90,110

KEY FEATURES:

- 6 Mondo-sized pinches offering a variety of pinch grip options
- Ideal for eye catching routes
- Ideal for helping develop pinch strength on all wall angles for all level of climber
- Extra screw holes for more positioning options

GRANITE LONG PINCHES



STRUCTURE: 2XXXL

DEPTH OF THE BOLT HOLE (mm): 69,78

KEY FEATURES:

- Another great compliment set to the existing Pinch sets in the granite range
- Ideal for show-stopping routes, a real eye-catching addition to your wall
- Ideal for helping develop pinch strength on all wall angles for all level of climber
- Approx. 60cm in length
- Extra screw holes for more positioning options

GRANITE MONDO EDGES



STRUCTURE: 2 XXXL

DEPTH OF THE BOLT HOLE (mm): 55, 59

KEY FEATURES:

- 2 large edges; one is sloped with some hidden features that the climber needs to find
- Ideal for all grades of route, depending on wall angle.
- Rotation of each will vary the grip option
- Extra Screw holes for more positioning options

GRANITE MONDO FLAKE




STRUCTURE: 1XXXL

DEPTH OF THE BOLT HOLE (mm): 51X1

KEY FEATURES:

- Extremely large jug great for full-on overhangs
- Can be used with two hands easily
- Ideal for any wall angle and any grade of route
- Extra screw holes for more positioning options

GRANITE MINI FOOHOLDS 2016



STRUCTURE: 20 FOOHOLDS

DEPTH OF THE BOLT HOLE (mm): 10,2X11,3X12,13,5X14,4X15,2X16,2X17

KEY FEATURES:

- Designed to be the route-setter's workhorse with longevity in mind
- Less positive than the standard footholds. i.e mostly rounded in profile.
- Can be used on all grade of route and wall angle – but ideal to help improve intermediate and beginner's foot-work
- Perfect to use in conjunction with other sets to get the most out of your handholds.

GRANITE MONDO FOOHOLDS 2016



STRUCTURE: 10 FOOHOLDS

DEPTH OF THE BOLT HOLE (mm): 15,16,2X19,2X20,21,2X22,24

KEY FEATURES:

- This set of holds is the climbing gym's archetypal workhorse.
- Perfect for all types of routes, wall, and setting.
- Each hold has both positive edge on one side and slopy on the opposite, depending how it is oriented to the climber
- Can be used with impact drivers and both types of fixing.

GRANITE JUGS



STRUCTURE: 10M

DEPTH OF THE BOLT HOLE (mm): 2X26,28,29,5X31,33

KEY FEATURES:

- Granite-Inspired, set of positive and ergonomic jugs
- Work horse product, essential for all climbing gyms
- More positive hold, with slightly larger footprint than the mini jug (3-4 finger joints)
- Ideal for all grade of route and all wall angles
- Extra screw hole for more secure fixation

GRANITE SUPER JUGS



STRUCTURE: 5L

DEPTH OF THE BOLT HOLE (mm): 29,30,2X32,35,

- Extremely positive on roofs or steep overhangs (60-90 degrees)
- Great for easy routes that move onto the steepest parts of your gym
- Perfect for beginners on less steep wall angles
- Some also feature small foot jib or crimp opposite the jug, for more versatility when setting
- Feature an extra screw hole for more secure fixation

GRANITE MONDO JUGS



STRUCTURE: 5XL

DEPTH OF THE BOLT HOLE (mm): 41,45,46,51,52

KEY FEATURES:

- The biggest jugs in the range, offer the greatest positivity of all the jugs
- Work horse product, essential for all climbing gyms
- Ideal for all grade of route and wall angle
- Perfect for creating routes for beginners and intermediate on the steepest parts of the climbing gym
- Extra screw hole for more secure fixation

GRANITE MINI VOLUME



KEY FEATURES:

- Granite mini volume is extremely positive along one side mimicking roof jugs found on granite
- Beautifully carved, and comfortable to hold making it a pleasure to climb on
- Ideal for all wall angles for all level of climber
- Fixed to the wall with screws only



BLEAUSTONE CLASSIC

CLASSIC CRIMPS




STRUCTURE: 10S

DEPTH OF THE BOLT HOLE (mm): 15X2,18X2,20,22,24X2,25X2

KEY FEATURES:

- More technically natured crimps, offering huge variety of grip option and challenging features
- Perfect for all routes, but great for more challenging routes
- Ideal for all wall angles and level of climber
- Varied positivity per finger depending on what hand is used
- Extra screw holes for more positioning options

CLASSIC MINI EDGES



STRUCTURE: 10L

DEPTH OF THE BOLT HOLE (mm): 17,18X2,20X2,21X2,22X2,24

KEY FEATURES:

- Size-wise can accept one full hand and part of the other
- Multi-functional, can be used from all sides, and vary in technicality across the set
- Ideal for all wall angles up to 60 degrees and all level of climber
- 2 extra screw holes for more positioning options

CLASSIC EDGES



STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 43,44X,45,46X2,47,49,55,60

KEY FEATURES:

- The most beautifully hand-crafted edges in the series exploring the relationship between flowing lines and grip surface
- Some are quite technical in nature, but still offer a wide variety of grip option
- For all wall angles up to 45 degrees and for all level of climber
- Extra screw holes for more positioning options

CLASSIC NANO JUGS



STRUCTURE: 20S

DEPTH OF THE BOLT HOLE (mm): 11,13,15,17,19,21X15

KEY FEATURES:

- Smallest jug, smallest footprint with maximum positivity (2 finger joints)
- Positive on all wall angles.
- Help push beginner and intermediate climbers on to steeper wall angles and harder grades
- Feature small foot jib/crimp opposite the jug for added options for the climber e.g. when jug is used as an undercut

CLASSIC SPECIALS



STRUCTURE: 9M,1L

DEPTH OF THE BOLT HOLE (mm): 14,3X15,2X16,18,2X20,24

KEY FEATURES:

- This is a new addition for the Classic Range.
- Designed to be affixed to Large wooden volume structures
- Each hold has a variety of slopy surfaces allowing the route setter to choose the level of difficulty
- Can be affixed with both screws and bolts offering wider setting options

CLASSIC MINI JUGS



STRUCTURE: 10S

DEPTH OF THE BOLT HOLE (mm): 12,14,17,18X7

KEY FEATURES:

- Route setters workhorse product – essential for every climbing gym
- Small footprint, positive jugs (2-3 Finger joints)
- Ideal for all wall angle, but a real challenge on really steep routes >60 degrees
- Perfect for all grades of route

CLASSIC JUGS



STRUCTURE: 5S, 15M

DEPTH OF THE BOLT HOLE (mm): 11, 16, 19, 25, 27, 29X15

KEY FEATURES:

- Varied set of positive and ergonomic jugs
- Work horse product, essential for all climbing gyms
- More positive hold, with slightly larger footprint than the mini jug (3-4 finger joints)
- Ideal for all grade of route and all wall angles
- Extra screw hole for more secure fixation

CLASSIC MINI FOOTHOLDS




STRUCTURE: 20XS/S

DEPTH OF THE BOLT HOLE (mm): 14,4X15,6X16,3X17,4X18,2X19

KEY FEATURES:

- Designed to be the route-setter's workhorse with longevity in mind
- Are design XS/S size and are more technical than the standard footholds
- Can be used on all grade of route and wall angle – but ideal to help improve intermediate and beginner's foot-work
- Multifunctional; the smallest rotation of a hold will yield a different feature and positivity for the foot
- Perfect to use in conjunction with other sets to get the most out of your handholds.

CLASSIC SUPER JUGS



STRUCTURE: 10M

DEPTH OF THE BOLT HOLE (mm): 19,24,25,28,32,35X5

KEY FEATURES:

- Extremely positive on roofs or steep overhangs (60-90 degrees)
- Great for easy routes that move onto the steepest parts of your gym
- Perfect for beginners on less steep wall angles
- Also feature small foot jib or crimp opposite the jug, for more versatility when setting
- Feature an extra screw hole for more secure fixation

CLASSIC MONDO JUGS




STRUCTURE: 10XL

DEPTH OF THE BOLT HOLE (mm): 25,30X3, 32X2, 38X4

KEY FEATURES:

- The biggest jugs in the range, offer the greatest positivity of all the jugs
- Many features allowing for greater variety of creative route setting
- Ideal for all grade of route and wall angle
- Perfect for creating routes for beginners and intermediate on the steepest parts of the climbing gym
- Extra screw hole for more secure fixation

CLASSIC THREADS



STRUCTURE: 2L 3XL

DEPTH OF THE BOLT HOLE (mm): 28,33,42X2, 43

KEY FEATURES:

- Each thread can be held with two hands, either with the handle (thread) or accompanying jug
- Diameter of thread is minimized to suit all hand sizes
- Ideal for pushing beginners over the steepest parts of the gym giving added security of secure grip
- A workhorse product for all commercial climbing gyms
- **CAUTION:** The extra screw hole **MUST** be used when the hold is fixed to the wall at all times to ensure maximum safety.

CLASSIC FOOTHOLDS



STRUCTURE: 10 FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 8,9,11X8

KEY FEATURES:

- Designed to be the route-setter's workhorse with longevity in mind
- Can be used on all grade of route and wall angle
- Multifunctional; the smallest rotation of a hold will yield a different feature and positivity for the foot
- Perfect to use in conjunction with other sets to get the most out of your handholds.

CLASSIC MONDO FOOTHOLDS



STRUCTURE: 10 FOOTHOLDS

DEPTH OF THE BOLT HOLE (mm): 19,19,23,26X7

KEY FEATURES:

- This set of holds is the climbing gym's archetypal workhorse.
- Perfect for all types of routes, wall, and setting.
- Each hold is both positive and slopy depending how it is oriented to the climber
- The bolt hole depth has been maximised so the hold is as strong as possible to give you the maximum service life.

CLASSIC SCREW-ONS




STRUCTURE: 20S

DEPTH OF THE BOLT HOLE (mm): 2,3,6,8,9,14X15

KEY FEATURES:

- Ideal for delicate/precise foot work
- Help improve balanced climbing technique
- For use on wood panels or wooden volumes -or whatever you can screw into!

CLASSIC PINCHES



STRUCTURE: 10L

DEPTH OF THE BOLT HOLE (mm): 33,34X3,35,41,42,44X3

KEY FEATURES:

- Continuation of the theme of flowing lines and grip options
- The texture allows for a multitude of pinches available depending on how the hold is positioned
- Positive on wall angles up to 45 degrees
- Ideal for all level of climber
- Extra screw holes for more positioning options

CLASSIC POCKETS



STRUCTURE: 5M, 5L

DEPTH OF THE BOLT HOLE (mm): 13, 17, 19, 20, 21x6

KEY FEATURES:

- Topology: is an area of mathematics concerned with the properties of space that are preserved under continuous deformations, such as stretching and bending, but not tearing or gluing. Has inspired these pockets
- 2 fingered pocket feature most with few 3 fingered pockets
- Varied in positivity, and technicality
- Great for developing strength on pockets with two fingers
- Extremely comfortable on all wall angle
- Extra screw holes for more positioning options

CLASSIC SLOPERS



STRUCTURE: 5 XXL

DEPTH OF THE BOLT HOLE (mm): 77,81,83,84,89

KEY FEATURES:

- 5 of the largest slopers in the whole series
- Designed large so it is harder for the climber to use his/her thumb
- Can be used on most wall angles, but climber ability may be the limiting factor
- Extra screw holes for more positioning options

CLASSIC INCUT CRIMPS



STRUCTURE: 10S

DEPTH OF THE BOLT HOLE (mm): 20,25,28X2,30,31,33,,34,35,45

KEY FEATURES:

- The most ideal crimps for the steepest parts of your wall
- Positive on fully overhanging walls (one fingertip length incut)
- Suitable for all grades of route, comfortable even on vertical walls
- Ideal for pushing the grades of all climbers
- Extra screw holes for more positioning options on wooden walls



BLEAUSTONE TRAINING RANGE

TRAINING **FLAT (0) CRIMPS**



STRUCTURE: 6S

DEPTH OF THE BOLT HOLE (mm): 18,18,18,18,21,21

KEY FEATURES: The flat crimps are the most technically challenging of the crimps in the range. Designed so that the crimp's edge is perfectly perpendicular to the wall's surface.

Ideal for vertical walls (0 degrees) on walls greater than 15 degrees will become more difficult - making them ideal for training crucial crimp-strength. There are two central holds: one with a concave profile, the other with a convex profile: Two left and two right-handed holds, marked L and R, respectively. They can be either bolted or screwed on to the climbing wall.

TRAINING **IN-CUT (60) CRIMPS**



STRUCTURE: 8M

DEPTH OF THE BOLT HOLE (mm): 24,23,25,25,25,25

KEY FEATURES: The in-cut crimps are the most positive crimps in the range. They offer an extremely positive edge on wall angles between 30 and 60 degrees, beyond this they can be used on roofs, but will be more challenging.

There are two central holds: one with a concave profile, the other with a convex profile: Two left and two right-handed holds, marked L and R, respectively. They can be either bolted or screwed on to the climbing wall.

TRAINING **POSTIVE (30) CRIMPS**



STRUCTURE: 8M

DEPTH OF THE BOLT HOLE (mm): 22,22,22,22,23,22"

KEY FEATURES: These crimps are exactly what the title says; Positive. Perfect on wall angles up to 30 degrees. Beyond this, the hold will no longer be positive, and ideal for more challenging routes on steeper ground.

There are two central holds: one with a concave profile, the other with a convex profile: Two left and two right-handed holds, marked L and R, respectively. They can be either bolted or screwed on to the climbing wall.

TRAINING **WARM-UP (45) JUGS**



STRUCTURE: 6M

DEPTH OF THE BOLT HOLE (mm): 26,26,26,26,25,25

KEY FEATURES: These warm-up jugs have been designed to be as comfortable and as positive as possible reducing the amount of strain on the fingers and hands during that all-important warm-up.

These jugs have 2 left and 2 right-handed jugs with 2 identical central holds, for use with either hand. The left and right holds are marked L and R respectively. They are ideal for all wall angles up to 45 degrees. Above this are still useable for most intermediate climbers, but require more strength. They can be either bolted or screwed on to the climbing wall.

TRAINING LP (0) FLAT PINCHES



STRUCTURE: 6M

DEPTH OF THE BOLT HOLE (mm): 28,28,28,34,34,34

KEY FEATURES: The pinches have been designed alongside the others in the range to offer exceptional variety for helping improve pinch strength; not only do they vary in width, but also vary in depth.

The pinches in this set have a low-profile, making them the hardest to hold allowing only one phalange of the fingers to grasp them. The pinches are approximately 40mm, 60mm, and 80mm in width at the narrowest point. The flat pinches are the most demanding of pinches, with the edge being perpendicular to the wall surface. As for the wall angle, this depends on your pinch strength. Ideally 0-15 degrees is best for intermediate climbing. They can be either bolted or screwed on to the climbing wall.

TRAINING HP (0) FLAT PINCHES



STRUCTURE: 6M

DEPTH OF THE BOLT HOLE (mm): 41,41,43,43,44X2

KEY FEATURES: The pinches have been designed alongside the others in the range to offer exceptional variety for helping improve pinch strength; not only do they vary in width, but also vary in depth.

The pinches in this set have a high-profile, allowing two phalanges of the fingers to grasp them. The pinches are approximately 40mm, 60mm, and 80mm in width at the narrowest point. The flat pinches are the most demanding of pinches, with the edge being perpendicular to the wall surface. As for the wall angle, this depends on your pinch strength. Ideally 0-15 degrees is best for intermediate climbing. They can be either bolted or screwed on to the climbing wall.

TRAINING LP (30) POSITIVE PINCHES



STRUCTURE: 6M

DEPTH OF THE BOLT HOLE (mm): 25,25,28,28,31,31

KEY FEATURES: The pinches have been designed to offer exceptional variety for helping improve pinch strength; not only do they vary in width, they also vary in depth.

The pinches in this set have a low-profile, allowing only one phalange of the fingers to grasp them. The pinches are approximately 40mm, 60mm, and 80mm in width at the narrowest point.

The positive pinches are exactly what the title says - positive. Designed to be positive up to wall angles of 30 degrees. Beyond this, they will certainly help develop that vital pinch strength.

They can be either bolted or screwed on to the climbing wall.

TRAINING HP (30) POSITIVE PINCHES



STRUCTURE: 6M

DEPTH OF THE BOLT HOLE (mm): 43,43,43,42,42,42

KEY FEATURES: The pinches have been designed to offer exceptional variety for helping improve pinch strength; not only do they vary in width, they also vary in depth.

The pinches in this set have a high-profile, allowing two phalanges of the fingers to grasp them. The pinches are approximately 40mm, 60mm, and 80mm in width at the narrowest point.

The positive pinches are exactly what the title says - positive. Designed to be positive up to wall angles of 30 degrees. Beyond this, they will certainly help develop that vital pinch strength.

They can be either bolted or screwed on to the climbing wall.

TRAINING + 30 DEGREE POCKETS




STRUCTURE: 6M

DEPTH OF THE BOLT HOLE (mm): 25,25,25,25,25,25

KEY FEATURES: The whole idea of a pocket is to force a climber to hold it open-handed. These +30° Pockets are ideal for training on steeper boards to improve pocket strength and will help develop pocket strength on flatter-less steep boards. Again, having a super-friendly radii these pockets, even the mono, wont feel like it's attacking your tendons, and each hold is paired so you can easily set up a symmetrical system board.

TRAINING SYMMETRICS



STRUCTURE: 20XS

DEPTH OF THE BOLT HOLE (mm): 10X4 ,12X6,14X10

KEY FEATURES: The symmetrics are the hardest set of training edges in the series. Each of 10 has a left/ right-hand partner. The set enables interesting problems to be created and mirrored allowing the climber to identify their weaknesses and thus work on them - a step forward from conventional training-system training.

TRAINING DUAL (15/30) SLOPERS



STRUCTURE: 4M, 2L

DEPTH OF THE BOLT HOLE (mm): 52,52,52,52,44,44

COMPACT TRAINING BOARD



STRUCTURE: 1XL

DEPTH OF THE BOLT HOLE (mm): 20 - 25

KEY FEATURES: Designed with one-armed deadhangs in mind, the CompactBoard has been kept narrow to allow the climber to stay as central as possible within the doorframe during passive and active hangs. The symmetrical nature and progression of small holds also permits effective two handed training for beginner and intermediate climbers to help work towards one armed deadhangs at a later date. The CompactBoard has the following features:

- 1 x Central positive cling crimp - specifically designed for one-armed pull-ups.
- 2 x Small flat crimps / medium three finger open holds.
- 2 x Small open hand / sloping crimps.
- 1 x Hard central sloper (can be matched & half crimped).
- 2 x Medium cling grips / large open hand.
- Narrow width to keep the climber away from the doorframe.
- Progressive hold sizing to challenge and vary deadhangs.
- Super smooth BleauStone texture to minimise skin wear whilst maintaining friction - sore skin is no longer a limiting factor.

LONG TRAINING BOARD







STRUCTURE: >XXXL

DEPTH OF THE BOLT HOLE (mm): 45 - 55

KEY FEATURES: These crimps are exactly what the title says; Positive. Perfect on wall angles up to 30 degrees. Beyond this, the hold will no longer be positive, and ideal for more challenging routes on steeper ground. There are two central holds: one with a concave profile, the other with a convex profile: Two left and two right-handed holds, marked L and R, respectively. They can be either bolted or screwed on to the climbing wall.

VARIETY OF GRIP OPTIONS AND POSITIVITY **OF BLEAUSTONE CLIMBING HOLDS**







Captain
Cruz

CAPTAIN CRUX 100 TRADITIONAL

100 DIE WEISSE SPINNE



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 11,15,16X2,17

101 DACHSCHADEN



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 15,15,16,17,20

102 DOPPELPACK



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 43,45,50,53X3

103 STEINSCHLEUDER



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 37,38,41,42,45

104 MASCHINENSTURM



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 31,35,36,40X2

105 DAUERBRENNER



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 22,28,31,32,35

106 LAND IN SICHT



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 24,27,30X2,37

108 HIMMELSLEITER



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 28X3,32,35

110 HENKEL TROCKEN



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 20,21,22,26,28

112 NACHBARS LUMPI



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 34X2,37,38,44

107 ABGEZOCKT




STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 26,32,35,37,40

109 GOTT IST TOT



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 30,31,32,34,36

111 ZAPFENSTREICH



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 28,31,34X3,35,36X2,38,44

113 KELLEN



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 18X2,20X4,21X2,25

114 HAU REIN!



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 19,20X2,22X2,25X2,26,29

115 ALPENGLÜHEN



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 19X220X6,21X2

116 BAGGERSEE



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 19,20X2,22X3,24X2,32,35

117 RADIO NEANDERTAL



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 20,22,23X2,24X,26,27,30X2

118 JAGDFIEBER



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 17,19,20,21,23X2,27X2,29,33

119 FEINSTABU NEW



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 25X1, 35X5, 45X4

120 AFFENBROT NEW



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 15X8

121 OHNE MOSS NIX LOS NEW



STRUCTURE: 10S
DEPTH OF THE BOLT HOLE (mm): 15X1, 25X8, 35X1

123 ALLES WIRD GUT **NEW**




STRUCTURE: 7L
DEPTH OF THE BOLT HOLE (mm): 45X1, 55X4, 75X2

124 VOLL AM ARSCH **NEW**



STRUCTURE: 10S
DEPTH OF THE BOLT HOLE (mm): 15X10

125 GOTT WÜRFELT NICHT **NEW**



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 15X1, 25X12, 35X2

126 GESCHWISTERLIEBE **NEW**




STRUCTURE: 2XL
DEPTH OF THE BOLT HOLE (mm): 105X1, 125X1

127 DUALES SYSTEM **NEW**



STRUCTURE: 2XL
DEPTH OF THE BOLT HOLE (mm): 55X2

128 DIE FETTE ELKE **NEW**



STRUCTURE: 1XXL
DEPTH OF THE BOLT HOLE (mm): 165X1

CAPTAIN CRUX 300 GRANITE

300 STELLERKRIEG



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 13,14,15X3,16X2,17X2,33

301 WÜRFELHUSTEN



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 11,12X7,13,15

302 HÄRTE 10



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 13,16X2,17X2,18X2,19,20,21

303 VOLLE KANTE




STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 12X2,16X2,17,18X3,22,26

304 BRETT 1



STRUCTURE: 10 L
DEPTH OF THE BOLT HOLE (mm): 11X2,13X2,14,15,17,18,19

305 STANDRECHT



STRUCTURE: 20FOOTHOLDS
DEPTH OF THE BOLT HOLE (mm): 10,11,12X7,13X5,14X4,15X2

306 SCHARFES ECK



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 16X3,18X2,19,20,21,22X2

308 AMOK



STRUCTURE: 20 FOOHOLDS
DEPTH OF THE BOLT HOLE (mm): 11,12XX7,13X5,14XX4,15

310 EINSTEIN



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 69

313 APOKALYPSE



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 82

307 GROBMOTORIKERS ALBTRAUM



STRUCTURE: 20 FOOHOLDS
DEPTH OF THE BOLT HOLE (mm): 9X3,10X5,11X5,12X2,13X3,14,15

309 NORDKANTE




STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 78

312 ZUGZWANG



STRUCTURE: 2 XL
DEPTH OF THE BOLT HOLE (mm): 32X2

314 BETON BRUTAL NEW



STRUCTURE: 1XL
DEPTH OF THE BOLT HOLE (mm): 75X1

315 TOTAL BRUTAL NEW




STRUCTURE: 1XL
DEPTH OF THE BOLT HOLE (mm): 75X1

316 SCHEIBENKLEISTER NEW



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 55X5, 65X5

317 BURSCHENSCHAFT NEW



STRUCTURE: 5M, 5L
DEPTH OF THE BOLT HOLE (mm): 55X8, 65X2

318 DURCHZUG




STRUCTURE: 5M, 5S
DEPTH OF THE BOLT HOLE (mm): 35X3, 45X6, 55X1

319 HEUL DOCH!




STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 9, 14X2, 18, 19X3, 23, 24, 28

320 DURCHGEKNALLT



STRUCTURE: 10XL
DEPTH OF THE BOLT HOLE (mm): 19, 21, 24X2, 25, 26, 27, 28, 30, 35

321 IRRENHAUS



STRUCTURE: 5
DEPTH OF THE BOLT HOLE (mm): 32, 37, 37, 40, 41

322 FALLENDEN LAUB



STRUCTURE: 2
DEPTH OF THE BOLT HOLE (mm): 37, 48

323 RAUHFASER



STRUCTURE: 20 FOOTHOLDS
DEPTH OF THE BOLT HOLE (mm): 8X2,9X2,10X2,11X5,12X3,13,14X2,15X2

325 SCHWALBENNEST



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 52

327 TODESBIWAK



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 128

329 BADILE



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 88

324 ANGSTBEISSER



STRUCTURE: 10 L
DEPTH OF THE BOLT HOLE (mm): 11,16,17,19,20X2,22,24,26

326 DRU




STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 72

328 EIGERWAND



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 69

330 THOR'S HAMMER



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 70

331 TAFELBERG



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 73

332 HUNSRÜCKHÖH



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 108

333 ODINS TAFEL



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 50

334 RÄUCHERSCHINKEN



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 88

335 WETTERSTEIN



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 61

336 KEULE




STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 72

337 STANDGERICHT



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 47

338 VOGELSBERG



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 55

339 **HOCKENDES WEIB**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 61

341 **HÄNGENDER STEIN**



STRUCTURE: 10XL
DEPTH OF THE BOLT HOLE (mm): 76

343 **HACKSTOCK**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 51

340 **HELDWAND**




STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 64

342 **GLOCKE**



STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 55

344 **TEUTONIA**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 69

CAPTAIN CRUX 500 SANDSTONE

500 BLUTSPUR



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 24,27X3,28,29,30,34,35X2

501 GNADENBROT




STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 14,18,19X2,20,21,27,28,38

502 DREHSTROM



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 29,44,45,49,50,54,56,57,58X2

503 PRÜGELSTRAFE



STRUCTURE: 10 L
DEPTH OF THE BOLT HOLE (mm): 56,64X2,69X2,72,73X2,74,77

504 OKTOPUSSY



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 31,32,38X3,39X2,45,48,50

505 NIEMANDSLAND



STRUCTURE: 5 XL
DEPTH OF THE BOLT HOLE (mm): 26,38,50,58,65

506 ZWISCHENHOCH



STRUCTURE: 5 L
DEPTH OF THE BOLT HOLE (mm): 33X2,35,47,52

508 PESTBEULE



STRUCTURE: 5 L
DEPTH OF THE BOLT HOLE (mm): 31,36,38X2,45

510 LEISTENBRUCH



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 20,21,22,24,26X3,32,38

512 ZWANGLOSER ABGANG



STRUCTURE: 20 FOOTHOLDS
DEPTH OF THE BOLT HOLE (mm): 7X4 8X12,9X210X2

507 PARANOIA



STRUCTURE: 5 L
DEPTH OF THE BOLT HOLE (mm): 35,36,38,43,45

509 URKNALL



STRUCTURE: 5 S
DEPTH OF THE BOLT HOLE (mm): 19X2,20,23X2

511 ZWISCHENFALL



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 23,32,33,34,35X2,36X2,40

513 SCHLACKE



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 8X2,11,12,X2,13X3,14,15



514 **FLUGKONTROLLE**



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 36,48,55,58,60

515 **UND TSCHÜSS**



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 11X2,13X4,14,15,16X2,17

516 **PACCARD**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 72

517 **HÖLLENFAHRT**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 100

518 **VINATZER**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 50

CAPTAIN CRUX 700 SERIES

700 ÜBERDRUCK



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 19X2,20X2,22,24X3,30X1

701 MALOCHER



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 16X3,17X3,20,21,25,27

702 LOCHDETEKTOR



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 12,14X2,15,17X2,18X3,19

703 MOLOCH



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 17X2,18X2,23

704 STECKDOSE



STRUCTURE: 6L
DEPTH OF THE BOLT HOLE (mm): 31X6

705 MONOKULTUR




STRUCTURE: 6L
DEPTH OF THE BOLT HOLE (mm): 36X6

CAPTAIN CRUX

CRUXIES

FRECHE GÖREN



STRUCTURE: 5 M
DEPTH OF THE BOLT HOLE (mm): 28,30,32X2,35

KLETTERMAXE



STRUCTURE: 5 M
DEPTH OF THE BOLT HOLE (mm): 25,33,35,36,41

GIPFELSTÜRMER



STRUCTURE: 5 M
DEPTH OF THE BOLT HOLE (mm): 30X2,33,34,37

ROTNAS



STRUCTURE: 5 M
DEPTH OF THE BOLT HOLE (mm): 27X23536,40

KLEINE RACKER



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 30,31,33X2,35,36,38,40,41,45

STÖRENFRIED



STRUCTURE: 10 S
DEPTH OF THE BOLT HOLE (mm): 28,30X2,33,34,35,36X2,37X2

CRUX ACCESSORIES

CRUX X TRNITY CHALK BAG



CRUX T-SHIRTS



FRONT

BACK



FRONT

BACK



FRONT

BACK



FRONT

BACK



FRONT

BACK

Abgerechnet wird am Fels.

*Captain
GruX*

23[✿]

MINI VOLUME 01



DIMENSION: 500X270X130 mm
DEPTH OF THE BOLT HOLE (mm): 115X1

MINI VOLUME 02



DIMENSION: 400X360X190 mm
DEPTH OF THE BOLT HOLE (mm): N/A

MINI VOLUME 03



DIMENSION: 480X270X145 mm
DEPTH OF THE BOLT HOLE (mm): 135X1

MINI VOLUME 04



DIMENSION: 485X280X180 mm
DEPTH OF THE BOLT HOLE (mm): N/A

MINI VOLUME 05



DIMENSION: 350X340X195 mm
DEPTH OF THE BOLT HOLE (mm): 185X1

MINI VOLUME 06



DIMENSION: 450X300X95 mm
DEPTH OF THE BOLT HOLE (mm): 90X1

MINI VOLUME 07



DIMENSION: 420X310X105 mm
DEPTH OF THE BOLT HOLE (mm): 100X1

MINI VOLUME 08



DIMENSION: 420X320X157 mm
DEPTH OF THE BOLT HOLE (mm): 135



MINI VOLUME **09**

MINI VOLUME **10**



DIMENSION: 460X355X165 mm
DEPTH OF THE BOLT HOLE (mm): 155X1

DIMENSION: 420X385X170 mm
DEPTH OF THE BOLT HOLE (mm): 165X1

MINI VOLUME **11**

MINI VOLUME **12**



DIMENSION: 535X280X155 mm
DEPTH OF THE BOLT HOLE (mm): 150X1

DIMENSION: 425X315X155 mm
DEPTH OF THE BOLT HOLE (mm): 145X1

MINI VOLUME **13**

MINI VOLUME **14**



DIMENSION: 530X340X120 mm
DEPTH OF THE BOLT HOLE (mm): 110X1

DIMENSION: 450X330X165 mm
DEPTH OF THE BOLT HOLE (mm): 145X1

MINI VOLUME 15



DIMENSION: 480X360X145 mm
DEPTH OF THE BOLT HOLE (mm): 130X1

MINI VOLUME 16



DIMENSION: 450X260X176 mm
DEPTH OF THE BOLT HOLE (mm): 170X1

MINI VOLUME 17



DIMENSION: 440X280X173 mm
DEPTH OF THE BOLT HOLE (mm): 170X1

MINI VOLUME 18



DIMENSION: 460X210X100 mm
DEPTH OF THE BOLT HOLE (mm): 85X1

MINI VOLUME 19



DIMENSION: 450X300X185 mm
DEPTH OF THE BOLT HOLE (mm): 180X1

MINI VOLUME 20



DIMENSION: 470X285X146 mm
DEPTH OF THE BOLT HOLE (mm): N/A

MINI VOLUME 21



DIMENSION: 520x270x150 mm
DEPTH OF THE BOLT HOLE (mm): 135

MINI VOLUME 22



DIMENSION: 520x290x155 mm
DEPTH OF THE BOLT HOLE (mm): 145x1

MINI VOLUME 23



DIMENSION: 470x225x175 mm
DEPTH OF THE BOLT HOLE (mm): 170x1






JANJA **GARNBRET**

LEONDA
PHOTOGRAPHY





lapis™

LAPIS CRIMPS

CRIMPS 01



STRUCTURE: 1S, 3M, 6L
DEPTH OF THE BOLT HOLE (mm): 14,16X2,17,20X2,21,25,27,28

CRIMPS 02




STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 13X2, 14X7, 18X11

CRIMPS 03




STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 12, 13X9,14,15,18X4,20X4

CRIMPS 04



STRUCTURE: 15S
DEPTH OF THE BOLT HOLE (mm): 13,15,16,17X2,18,20,21X3,23,26,27X3

CRIMPS 05



STRUCTURE: 15S/M
DEPTH OF THE BOLT HOLE (mm): 19,20,21X2,11X21


CRIMPS 06



STRUCTURE: 15S/M
DEPTH OF THE BOLT HOLE (mm): 19X3,20X2,23X7, 25,26,27

LAPIS EDGES

EDGES 01



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 30X3, 10X77, 35X1

EDGES 02



STRUCTURE: 10 M
DEPTH OF THE BOLT HOLE (mm): 25X3, 30X3, 10X24, 35X1

EDGES 03



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 30X2, 35X2, 45X1

EDGES 04



STRUCTURE: 3XL
DEPTH OF THE BOLT HOLE (mm): 40X2, 50X1

EDGES 05




STRUCTURE: 2XL
DEPTH OF THE BOLT HOLE (mm): 60X2

EDGES 06




STRUCTURE: 1XXL
DEPTH OF THE BOLT HOLE (mm): 50X1

EDGES **07**



STRUCTURE: 1XL
DEPTH OF THE BOLT HOLE (mm):

EDGES **08 NEW**



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 25X9, 30X1

EDGES **09**



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 25X8, 30X2

EDGES **10 NEW**



STRUCTURE: 1
DEPTH OF THE BOLT HOLE (mm): 500X400X140

EDGES **11 NEW**



STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 60X1, 65X1

EDGES **12 NEW**




STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 50X1, 55X1

PUZZLE EDGES 01



STRUCTURE: 3L, 2XL
DEPTH OF THE BOLT HOLE (mm): 17X2,19,21,25

PUZZLE EDGES 02



STRUCTURE: 3S, 5M, 2L
DEPTH OF THE BOLT HOLE (mm): 20X10

PUZZLE EDGES 03



STRUCTURE: 3S, 7M
DEPTH OF THE BOLT HOLE (mm): 11,14,15X3,17,19,21,25,26

PUZZLE EDGES 04



STRUCTURE: 1L 4XL
DEPTH OF THE BOLT HOLE (mm): 20,24,30X2,37

PUZZLE EDGES 05



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 38,40,41X2, 50

Lapis™



Slovenia **Climbing** Team



JERNEJ **KRUDER**



JANJA **GARBRET**



DOMEN **GARBRET**



MINA **MARKOVIČ**

SUPPORTING

LAPIS INCUT EDGES

INCUT EDGES 01



STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 17,18X2,19X2,20X2,21X2,22,23,24X3,25X6

INCUT EDGES 02



STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 15X5, 25X9, 30X6

INCUT EDGES 03




STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 20X2, 25X9, 30X9

INCUT EDGES 04




STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 16,17X2,18X3,20X4,21X3,22X3,24X4

INCUT EDGES 05




STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 11,13,20X4, 22X3,25X2, 29X3, 31

INCUT EDGES 06



STRUCTURE: 10M/L
DEPTH OF THE BOLT HOLE (mm): 12X2M 13X2, 14X2, 16, 17, 18X2

INCUT EDGES 07



STRUCTURE: 5L/XL
DEPTH OF THE BOLT HOLE (mm): 22X2, 23, 24

DUAL HANDED INCUT EDGES **NEW**



STRUCTURE: 10M
DEPTH OF THE BOLT HOLE (mm): 25X4, 30X6



LAPIS

OPEN HANDED MINI GOODYYS

OPEN HANDED MINI GOODY **01**



STRUCTURE: 20S
DEPTH OF THE BOLT HOLE (mm): 18,23,24,25,26,27,28X14

OPEN HANDED MINI GOODY **02**



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 23X2,24,25,28,29X31X8

LAPIS

OPEN HANDED GOODIES

OPEN HANDED GOODY **01**



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 27, 32X2, 33, 34, 40X5

LAPIS OPEN HANDED MACRO GOODYS

OPEN HANDED MACRO GOODY **01**



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 24,27,28,31,44

OPEN HANDED MACRO GOODY **02**



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 26,32X2,37,46

OPEN HANDED MACRO GOODY **03**



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 31,39,40X2,44

OPEN HANDED MACRO GOODY **04**



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 26X2,28,32,38

OPEN HANDED MACRO GOODY **05**



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 37,44,47,59,62

OPEN HANDED MACRO GOODY **06 NEW**



STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 75X1, 85X1

LAPIS MINI GOODYS

DUAL HANDED MINI GOODY **NEW**



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 25X1, 30X4, 35X2, 40X2, 45X1

MINI GOODY 01



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 15,22X2, 24X2, 26,27X2, 28,29X2, 31,40X4

MINI GOODY 02



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 19X3,20X2, 22, 23, 26X2, 28X3, 30X3

MINI GOODY 03




STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 17,20,21,22,23,25X2,26,27,28,29,30X4

MINI GOODY 04



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 23X4,25,27X5, 28X2,30,32,38

MINI GOODY 05



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 16,17,18X6,19,20,25,28X4

MINI GOODY 06



STRUCTURE: 15M
DEPTH OF THE BOLT HOLE (mm): 20,21X2,23X2,24,25X5, 26X4


LAPIS GOODYYS

GOODY 01 NEW




STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 30X1, 35X1, 40X4, 45X3, 50X1

GOODY 02 NEW




STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 35X2, 40X5, 45X3

GOODY 03 NEW



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 30X1, 35X5, 40X3, 50X1

GOODY 04 NEW



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 30X3, 35X4, 40X2, 45X1

GOODY 05 NEW



STRUCTURE: 10L
DEPTH OF THE BOLT HOLE (mm): 35X7, 40X3

LAPIS MACRO GOODYS

MACRO GOODY 01



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 42,44,47,48,50

MACRO GOODY 02



STRUCTURE: 1L 3XL 1 XXL
DEPTH OF THE BOLT HOLE (mm): 45X2, 50X1, 55X2

MACRO GOODY 03



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 35X2,38,42,55

MACRO GOODY 04



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 33,36,37,38X2

MACRO GOODY 05



STRUCTURE: 1XL, 4XXL
DEPTH OF THE BOLT HOLE (mm): 40X1, 50X2, 55X1, 60X1

MACRO GOODY 06 **NEW**



STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 60X2

THREADS




STRUCTURE: 5XL

DEPTH OF THE BOLT HOLE (mm): 40X1, 45X3, 50X1

LAPIS

SCREW-ONS

SCREW-ONS 01



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 13,14,16,19,25

SCREW-ONS 02



STRUCTURE: 30XS
DEPTH OF THE BOLT HOLE (mm): 15X11, 20X4

SCREW-ONS 03




STRUCTURE: 15XS
DEPTH OF THE BOLT HOLE (mm): 10X1, 15X1, 915X1, 20X3, 25X1

SCREW-ONS 04




STRUCTURE: 40XS
DEPTH OF THE BOLT HOLE (mm): 10X1, 15X1, 920X1, 20X1

SCREW-ONS 05



STRUCTURE: 50XS

SCREW-ONS 06



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 10,13,15,17,18,19

SCREW-ONS 07 NEW



STRUCTURE: 10S

LAPIS FOOT HOLDS

FOOTHOLDS 02



STRUCTURE: 35
DEPTH OF THE BOLT HOLE (mm): 20X4, 21,24X3, 25X5,26X5, 27X2

FOOTHOLDS 04




STRUCTURE: 20
DEPTH OF THE BOLT HOLE (mm): 22X5,23X6, 24X9

FOOTHOLDS 06




STRUCTURE: 20
DEPTH OF THE BOLT HOLE (mm): 19, 20X4, 21X8, 22X4, 23X3

FOOTHOLDS 01



STRUCTURE: 35
DEPTH OF THE BOLT HOLE (mm): 22X5,23X6, 24X9

FOOTHOLDS 03




STRUCTURE: 15
DEPTH OF THE BOLT HOLE (mm): 19, 20X4, 21X8, 22X4, 23X3

FOOTHOLDS 05



STRUCTURE: 20
DEPTH OF THE BOLT HOLE (mm): 20X4, 21,24X3, 25X5,26X5, 27X2

FOOTHOLDS 07



STRUCTURE: 20
DEPTH OF THE BOLT HOLE (mm): 19X2, 20X11, 21X8

LAPIS PINCHES

PINCHES 01



STRUCTURE: 1M, 1L, 2XL, 1XXL
DEPTH OF THE BOLT HOLE (mm): 48,57,66,70,72

PINCHES 02




STRUCTURE: 4S, 6M
DEPTH OF THE BOLT HOLE (mm): 24, 32, 34X2, 35, 38X2, 55, 70, 75

PINCHES 03



STRUCTURE: 2M, 1L, 1XL, 1XXL
DEPTH OF THE BOLT HOLE (mm): 55,61,64,76,78

PINCHES 04



STRUCTURE: 2M, 2XL, 1XXXL
DEPTH OF THE BOLT HOLE (mm): 44, 48, 55, 62, 84

PINCHES 05



STRUCTURE: 3L, 2XL
DEPTH OF THE BOLT HOLE (mm): 39, 45, 51, 62, 75

PINCHES 06



STRUCTURE: 1XL, 1XXL
DEPTH OF THE BOLT HOLE (mm): 30, 90

PINCHES 07



STRUCTURE: 1M, 3XL, 1XXL
DEPTH OF THE BOLT HOLE (mm): 48, 53, 54, 67, 70

PINCHES 08



STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 95,96

PUZZLE PINCHES 01



STRUCTURE: 2M, 4L, 2XL
DEPTH OF THE BOLT HOLE (mm): 27,28,32X2, 35,38, 55,56,69X2

PUZZLE PINCHES 02 NEW




STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 85X1, 90X1

SNEAKY PINCHES 01



STRUCTURE: 4 XXXL
DEPTH OF THE BOLT HOLE (mm): 27, 30X3

SNEAKY PINCHES 02



STRUCTURE: 4XXXL
DEPTH OF THE BOLT HOLE (mm): 30,, 35 X 3

LAPIS POCKETS

POCKETS 01 NEW



STRUCTURE: 1M, 4L
DEPTH OF THE BOLT HOLE (mm): 30X1, 35X3, 40X1

POCKETS 02 NEW



STRUCTURE: 1M, 4L
DEPTH OF THE BOLT HOLE (mm): 35X2, 40X2, 55X1

POCKETS 03 NEW



STRUCTURE: 2L
DEPTH OF THE BOLT HOLE (mm): 45X1, 50X1

POCKETS 04 NEW




STRUCTURE: 1XXL
DEPTH OF THE BOLT HOLE (mm): 55X1

POCKETS 05 NEW



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 35X1, 40X4

POCKETS 06



STRUCTURE: 4L, 1XL
DEPTH OF THE BOLT HOLE (mm): 32,33,35,36,41

POCKETS 07 NEW



STRUCTURE:
DEPTH OF THE BOLT HOLE (mm):

LAPIS SLOPERS

PUZZLE SLOPERS



STRUCTURE: 2L, 3XL
DEPTH OF THE BOLT HOLE (mm): 38,58,82,85,86

SLOPERS 01




STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 36,38,40,48X2

SLOPERS 02



STRUCTURE: 2L, 3XL
DEPTH OF THE BOLT HOLE (mm): 63,80,87,91,109

SLOPERS 03




STRUCTURE: 4XL, 1XXL
DEPTH OF THE BOLT HOLE (mm): 53,58,63,65,81

SLOPERS 04



STRUCTURE: 3XL, 2XXL
DEPTH OF THE BOLT HOLE (mm): 65,76,78,85X2

SLOPERS 05




STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 52,62,63,70X2

SLOPERS 06




STRUCTURE: 2L, 3XL
DEPTH OF THE BOLT HOLE (mm): 67,69,80,82X3

SLOPERS 07




STRUCTURE: 3L, 2XL
DEPTH OF THE BOLT HOLE (mm): 51,53,57,70,80

SLOPERS 08




STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 67,74,76,77,78

SLOPERS 09



STRUCTURE: 1M, 2L, 1XL, 1XXL
DEPTH OF THE BOLT HOLE (mm): 57,74,77,84,104

SLOPERS 10



STRUCTURE: 2L, 3XL
DEPTH OF THE BOLT HOLE (mm): 36,50,68,69,83

SLOPERS 11



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 32,37,40,43,47

SLOPERS 12



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 45X2, 50X1, 55X1, 100X1

SLOPERS 13



STRUCTURE: 5L
DEPTH OF THE BOLT HOLE (mm): 40X2, 45X1, 50X1, 75X1


SLOPERS 14



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 30X1, 35X3, 40X1

LAPIS BALLS

BALLS 01



STRUCTURE: 2S, 2M, 2L, 4XL
DEPTH OF THE BOLT HOLE (mm): 23X2, 36X2, 43X2, 51X2, 61X2

BALLS 02



STRUCTURE: 2L, 3XL
DEPTH OF THE BOLT HOLE (mm): 42, 53, 69, 79, 90

BALLS 03



STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 140X2

BALLS 04




DIMENSION: 280x220 mm
DEPTH OF THE BOLT HOLE (mm): 198

BALLS 05



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 61X5

BALLS 06




STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 51X5

BALLS 07



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 90X5

BALLS 08



STRUCTURE: 5XL
DEPTH OF THE BOLT HOLE (mm): 79X5

BALLS 10 NEW




STRUCTURE: 440X320

ROLLYBALLS S



DIAMETER: 8 cm

BALLS 09



STRUCTURE: 20FOOTHOLDS
DEPTH OF THE BOLT HOLE (mm): 25X20

LAPIS TRAINING ACCESSORIES

ROLLYBALLS L



DIAMETER: 10 cm

ROLLYBALLS XL



DIAMETER: 14 cm

ROLLYBAR



DIMENSION: 780X70 mm

TRAINING BOARD PRODUCT



DIMENSION: 780x330 mm

LAPIS BOULDERING SET

BOULDERING SET **HARD**



STRUCTURE: 7XS, 2S, 4M, 2L
DEPTH OF THE BOLT HOLE (mm): 16X2,17,18,22,26,29,32X7

BOULDERING SET **EASY**



STRUCTURE: 6XS, 7S, 1M
DEPTH OF THE BOLT HOLE (mm): 21,22,26X2, 27X2, 29,31,35X6

LAPIS ALPHABET

ALPHABET



STRUCTURE: 26L
DEPTH OF THE BOLT HOLE (mm): 24,25,26,27,30X5, 31X3,32X4,33X2,34,35,38,43X5

LAPIS VOLUMES

VOLUME A



DIMENSION: 56X56X12 cm (4 HOLDS)

VOLUME B



DIMENSION: 78X50X15 cm (4 HOLDS)

VOLUME C



DIMENSION: 54X40X13 cm (20 HOLDS)

VOLUME D



DIMENSION: 30X55X23 cm (4 HOLDS)

VOLUME E



DIMENSION: 73X57X20 cm (8 HOLDS)

VOLUME F



DIMENSION: 77X26X40 cm (5 HOLDS)

VOLUME G

DIMENSION: 69X48X39 cm (9 HOLDS)



VOLUME H



DIMENSION: 94X50X20 cm (10 HOLDS)

VOLUME I



DIMENSION: 94X40X15 cm (4 HOLDS)

VOLUME J



DIMENSION: 110X40X40 cm (7 HOLDS)

VOLUME K



DIMENSION: 153x106x16 cm (13 holds)

VOLUME L



DIMENSION: 302x215x85 cm (43 holds)

LAPIS ACCESSORIES



LAPIS **BRUSH**




LAPIS **LIMITED EDITION**
WOODEN BRUSH / CHERRY



LAPIS **BOULDERING**
WOODEN BRUSH



LAPIS **BRUSH HOLDER**



LAPIS **WOODEN BRUSH**



LAPIS **LIMITED EDITION**
WOODEN BRUSH / WALNUT



LAPIS **X TRINITY**
CHALK BAG




LAPIS **BRUSH HOLDER**



PHOTO BY REINHOLD FICHTINGER





SQUADRA

SQUADRA PURE

PURE 01



STRUCTURE: 2XL
DEPTH OF THE BOLT HOLE (mm): 100X1, 120X1

PURE 02



STRUCTURE: 2XL
DEPTH OF THE BOLT HOLE (mm): 100X1, 120X1

PURE 03



STRUCTURE: 1XXXL
DEPTH OF THE BOLT HOLE (mm): 120X1

PURE 04



STRUCTURE: 4S 4M
DEPTH OF THE BOLT HOLE (mm): 30X7

PURE 05



STRUCTURE: 1L, 3XL
DEPTH OF THE BOLT HOLE (mm): 50X3, 60X1

PURE 06



STRUCTURE: 12S
DEPTH OF THE BOLT HOLE (mm):

PURE 07



STRUCTURE: 1M 3L
DEPTH OF THE BOLT HOLE (mm):

PURE 08



STRUCTURE: 2XL
DEPTH OF THE BOLT HOLE (mm): 60X1, 70X1

PURE 09




STRUCTURE: 1XXXL
DEPTH OF THE BOLT HOLE (mm): 125X1

PURE 10



STRUCTURE: 1XXXL
DEPTH OF THE BOLT HOLE (mm): 145X1

PURE 11



STRUCTURE: 30
DEPTH OF THE BOLT HOLE (mm):

PURE 12




STRUCTURE: 6S
DEPTH OF THE BOLT HOLE (mm):

PURE 13



STRUCTURE: 6M
DEPTH OF THE BOLT HOLE (mm): 60X2, 70X2, 80X2

PURE 14



STRUCTURE: 3L
DEPTH OF THE BOLT HOLE (mm): 80X1, 100X2

PURE 15



STRUCTURE: 2XL IXXL
DEPTH OF THE BOLT HOLE (mm): 90X1, 150X1, 160X1

PURE 16



STRUCTURE: 3L
DEPTH OF THE BOLT HOLE (mm): 75X1, 95X1, 100X1

PURE 17



STRUCTURE: 3M
DEPTH OF THE BOLT HOLE (mm): 60X1, 70X2

PURE 18



STRUCTURE: IXXXL
DEPTH OF THE BOLT HOLE (mm): 170X1

PURE 19



STRUCTURE: IXXXL
DEPTH OF THE BOLT HOLE (mm): 150X1

PURE 20



STRUCTURE: IXXXL
DEPTH OF THE BOLT HOLE (mm): 135X1

PURE 21



STRUCTURE: 3S 3M
DEPTH OF THE BOLT HOLE (mm): 70X4, 80X2

PURE 22




STRUCTURE: 20XS
DEPTH OF THE BOLT HOLE (mm):

PURE 23



STRUCTURE: 10XS
DEPTH OF THE BOLT HOLE (mm):

PURE 24



STRUCTURE: 20XS
DEPTH OF THE BOLT HOLE (mm):

PURE 25



STRUCTURE: 1XXXL
DEPTH OF THE BOLT HOLE (mm): 160X1

PURE 26 NEW



STRUCTURE: 2XXL
DEPTH OF THE BOLT HOLE (mm): 60X1, 70X1

PURE **27 NEW**



STRUCTURE: 1XXXL
DEPTH OF THE BOLT HOLE (mm): 120X1



SQUADRA FICHTL

FICHTL 01



DIMENSION (mm): 650X350X270

FICHTL 02



DIMENSION (mm): 640X430X310

FICHTL 03



DIMENSION (mm): 830X440X270

FICHTL 04



DIMENSION (mm): 820X460X270

FICHTL 05



DIMENSION (mm): 810X250X180

FICHTL 06



DIMENSION (mm): 750X270X150

FICHTL 07



DIMENSION (mm): 810X350X170

FICHTL 08



DIMENSION (mm): 970X350X180

FICHTL 09



DIMENSION (mm): 580X270X120

FICHTL 10



DIMENSION (mm): 620X260X100

FICHTL 11



DIMENSION (mm): 590X240X150

FICHTL 12



DIMENSION (mm): 650X290X120

FICHTL **13 NEW**



DIMENSION (mm): 545 X 380 X 200

FICHTL **14 NEW**



DIMENSION (mm): 600 X 430 X 205

FICHTL **15 NEW**



DIMENSION (mm): 560 X 440 X 190

FICHTL **16 NEW**



DIMENSION (mm): 615 X 480 X 190



KILLIAN **FISCHHUBER**
PHOTO BY REINHOLD FICHTINGER





FRANK BOGERMAN
PHOTO BY WIENEKE GEHEM

WELCOMING A NEW ADDITION TO THE FAMILY OF CLIMBING HOLDS.

THE CULT BRAND FROM THE
NETHERLANDS - **AXIS ROUND EDGES**



CARE & MAINTENANCE

FIX



- Always try and fix climbing holds to a perfectly flat surface.
- Dual fixing option - you can use both countersunk or cap head M10 bolts.
- Wherever possible, use the extra screw hole provided on some holds.
- Do not over tighten, see website for 'Recommended Torque Settings' e.g.
XS=10 Nm, S=20 Nm, M= 25 Nm, L = 30 Nm, X-large= 35 Nm Reduced holds= 20 Nm.
- Avoid using impact drivers especially on smaller holds.
- Keep fixings clean, this will help avoid cross threading.

CARE



- Avoid dropping climbing holds. Over time, this can potentially weaken any type of climbing hold.
- Fluorescent coloured holds should not be used outdoors. Please ask us for advice when re-ordering.
- We recommend that climbers climb on the holds with chalk and clean the holds with a soft-bristled brush.
- Climbing shoes should be worn, free from grit and dirt, as this will maintain the hold's frictional properties for a longer period of time.
- Any chips or sharp edges that develop should be removed with an appropriate abrasive e.g. sand paper or a file.
- Climbing holds should be stored in a dry environment, as you would with your climbing gear.
- Any material present on the steel washer will not affect the holds functionality and will easily break away after the first use.

CLEAN



- We recommend that holds are washed with a high-pressure washer using cold water without detergent. Hot water (above 30°C) and detergents can potentially fade certain colours.
- Specialty washing solutions e.g. acid-based products can be used. However, using higher concentrations or extended exposure to acid can strip the zinc plating off of the steel washer, and could make certain colours fade. In any case, the strength of a hold will not be affected.
- Ask us for advice if you have any queries with regard to a product's suitability.

COLOURS

Our colours will be consistent within each order and from order to order. The UV stability of our standard colours is of the highest possible e.g. Red, Yellow, Orange, Blue, Black, White and are recommended for outdoor use. Fluorescent pigments have a Low UV stability and are therefore NOT recommended for use outdoors.

Traffic Yellow



Deep Orange



Flame Red



Blue Lilac



Sky Blue



Light Green




Signal Grey



Mint Green



Clay Brown



Signal white



Jet Black



Fl. Yellow



Fl. Orange



Fl. Green



Fl. Pink



Fl. Violet



JERNEJ **KURDER**
PHOTO BY LUKA FONDA





www.lapisholds.com	www.23holds.com	www.bleaustone.com	www.captain-crux.com
www.crux-klettergriffe.de	www.climb-holds.com	www.prises-de-escalade.com	
www.klettergriffe.de	www.squadraholds.com		

SCHLAMBERGER P & J d.o.o.

Novo Polje c. X/13, 1260 Ljubljana, Slovenija | T: +386 (0)1 549 11 00 | F: +386 (0)1 549 11 05